




## Ecological Impact Assessment

54 Stockheath Road,  
Havant



**South  
Downs  
Ecology**

George Sayer  
MCIEEM MArbora

# Ecological Impact Assessment


## 54 Stockheath Road, Havant

### Quality Assurance:

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Document reference | AB009.54StockheathRoad.EcIA.v2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Site               | 54 Stockheath Road, Havant, Hampshire, PO9 5HQ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Client             | Havant Borough Council                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Author             | Aidan Bird BSc, Consultant Ecologist                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Reviewer           | <div></div> <p>George Sayer BSc (Hons) PgDip MCIEEM MArborA<br/>Principal Ecologist and Director, South Downs Ecology</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Revision Number    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Report issue date  | 15/07/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Report conditions  | <p>The methods and recommendations in this report are based on the following:</p> <ul style="list-style-type: none"><li>• CIEEM Guidelines for Ecological Report Writing 2017 (CIEEM, 2017)</li><li>• CIEEM Guidelines for Ecological Impact Assessment in the UK and Ireland (CIEEM, 2024)</li><li>• Surveys have been carried out following the guidance sources set out in CIEEM’s Good Practice Guidance for Habitats and Species (CIEEM, 2021), which include:<ul style="list-style-type: none"><li>○ CIEEM Guidelines for Preliminary Ecological Appraisal, Second Edition (CIEEM, 2017)</li><li>○ CIEEM Guidelines for Accessing, Using and Sharing Biodiversity Data in the UK. Second Edition (CIEEM, 2017)</li><li>○ Bat Conservation Trust (BCT) Bat Surveys for Professional Ecologists: Good Practice Guidelines (BCT, 2023)</li></ul></li></ul> |

## Contents

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Summary .....                                                      | 4  |
| 1.0 Introduction .....                                             | 5  |
| 2.0 Scope of Assessment.....                                       | 6  |
| 3.0 Planning Policy and Legislation .....                          | 7  |
| 4.0 Methodology.....                                               | 10 |
| 5.0 Results.....                                                   | 12 |
| 6.0 Evaluation of Impacts and Mitigation .....                     | 13 |
| 7.0 Ecological Enhancements.....                                   | 14 |
| 8.0 Conclusions .....                                              | 15 |
| 9.0 References .....                                               | 16 |
| 10.0 Appendix A - Site Maps .....                                  | 17 |
| 11.0 Appendix B - Site Photos .....                                | 21 |
| 12.0 Appendix C – Bat Survey Plan .....                            | 23 |
| 13.0 Appendix D - Night vision Stills from Emergence Surveys ..... | 25 |
| 14.0 Appendix E – PEA inc PBRA by TSA Ecology .....                | 34 |



## Summary

Havant Borough Council have commissioned Bat Emergence Surveys and ecological impact assessment for proposals at the existing property; 54 Stockheath Road, Havant, Hampshire PO9 5HQ (SU 71745 07928, hereafter referred to as 'the site').

A Preliminary Ecological Appraisal and Preliminary Bat Roost Assessment was carried out on the 10<sup>th</sup> of October 2024 by Linda Pryke (Bsc., Msc., ACIEEM, Ecologist) of TSA Ecology and report produced (Appx.5). The site contains three buildings, two of which (B1 & B2) were assessed as having low potential to support a bat roost. A suite of bat emergence surveys were undertaken of the dwelling on 4<sup>th</sup> May 2025 and 29<sup>th</sup> May 2025. Both an update Preliminary Bat Roost Assessment of the site was carried on the 10<sup>th</sup> March 2025 and the following ecological impact assessment report completed were by Aidan Bird (BSc Ecology and Conservation – Accredited agent under George Sayer's NE Level 2 Bat Licence).

A suite of bat emergence surveys were undertaken of the dwelling on 4<sup>th</sup> May 2025 and 29<sup>th</sup> May 2025 in accordance with the Bat Conservation Trust - Bat Surveys for Professional Ecologists: Good Practice Guidelines Fourth (2023) Editions, and the Interim Guidance on the Use of Night Vision Aids (2022).

The proposals are for internal remodelling to produce studio rooms for temporary housing. No major external work is planned however some small repairs and replacement of windows/doors may take place. The Sheds B4 (classed as 'Outhouse' on the PEA – Appx.E) are to be demolished. The surrounding hedgerow will be replaced by native species with the southern and southeastern boundary being kept at a lower height.

The dwelling is a day roost for 1no. common pipistrelle bats and is of low conservation significance.

A Natural England Mitigation Licence will not be necessary unless impacting the hanging tiles or gable end where the bat roost has been identified. Precautionary measures to other work on site should be adopted to ensure no harm to bats and compliance with legislation.

Vegetation of the site boundaries will be replaced with a hedgerow of native species. This will reduce the overall height to encourage use of the site whilst still providing the linear feature preferred by commuting bat species.

When mitigation and enhancements have been taken into account, the proposals are not considered to have a negative impact upon habitats or protected species in accordance with planning policy and once enhancements are considered, would result in a minor net gain. The proposals would therefore accord with the relevant local and national planning policies and the relevant legislation.

## 1.0 Introduction

- 1.1 Havant Borough Council have commissioned Bat Emergence Surveys and ecological impact assessment for proposals at the existing property; 54 Stockheath Road, Havant, Hampshire PO9 5HQ (SU 71745 07928, hereafter referred to as 'the site').
- 1.2 A Preliminary Ecological Appraisal and Preliminary Bat Roost Assessment was carried out on the 10<sup>th</sup> of October 2024 by Linda Pryke (Bsc., Msc., ACIEEM, Ecologist) of TSA Ecology and report produced (Appx.5). The site contains three buildings, two of which (B1 & B2) were assessed as having low potential to support a bat roost. A suite of bat emergence surveys were undertaken of the dwelling on 4<sup>th</sup> May 2025 and 29<sup>th</sup> May 2025. Both an update Preliminary Bat Roost Assessment of the site was carried on the 10<sup>th</sup> March 2025 and the following ecological impact assessment report completed were by Aidan Bird (BSc Ecology and Conservation – Accredited agent under George Sayer's NE Level 2 Bat Licence).
- 1.3 This appraisal consisted of an assessment of habitats and structures to determine their potential for protected species. Following this an on-site and desktop assessment was undertaken, of the likelihood of National or European Protected Species being present on or near site, and the constraints these may pose on the development proposals.
- 1.4 Based on the results of the appraisal, recommendations for further survey, mitigation and potential ecological enhancements were provided.

### Site Description and Surrounding Area

- 1.5 The site consists of a complex building, between a L and U shape around a central courtyard, previously being used as a care home. The property is set across multiple different stories and elevations with additional sections of construction being evident over the previous ownership. Internally the property is well sealed with bitumen felt in loft spaces and insulation across the ceiling. Overall condition of the property is demonstrating signs of deterioration predominantly in the roof tiles and some original areas. This has been exacerbated by vandalism of the site specifically targeting the glazing. The surrounding land is predominantly shingle at the front and a small garden in the courtyard of common shrubs and some flowing plants. The perimeter of the site is enclosed with a hedgerow of predominantly Leylandii.
- 1.6 The site resides on Stockheath Road with its western flank backing onto Lidl's commercial premises and car park. It is nestled within the urban area of Leigh Park, Havant with predominantly commercial land to the west, and domestic properties to the east and southwest. Notable areas of natural space include football pitches and tennis courts to the north east c.200m and an urban woodland (Battins Copse) on the opposing side of Stockheath road to the south.

### Proposals

- 1.7 The proposals are for internal remodelling to produce studio rooms for temporary housing. No major external work is planned however some small repairs and replacement of windows/doors may take place. The Sheds B4 (classed as 'Outhouse' on the PEA – Appx.E) are to be demolished. The surrounding hedgerow will be replaced by native species with the southern and southeastern boundary being kept at a lower height.

## 2.0 Scope of Assessment

1. *Categorise habitats present on the site;*
2. *Identify habitat which may have potential for protected species;*
3. *Identify whether any signs of protected species are present on-site;*
4. *Recommend whether further surveys are required, or whether there are any relevant constraints with regards to protected species;*
5. *Identify impacts of the proposed development and set out appropriate avoidance, mitigation and compensation measures;*
6. *Provide recommendations as to how the site and proposals could be enhanced with regards to protected species and habitats.*

- 2.1 This appraisal and assessment is deemed to be relevant for a maximum of 18 months due to the possibility of changes in the habitats on-site. Should the site or proposals alter, the ecologist should be consulted to confirm that the appraisal is still valid.

### 3.0 Planning Policy and Legislation

#### National Planning Policy

- 3.1 The National Planning Policy Framework (NPPF) was updated in December 2024 and sets out the government planning policies for England and how they should be applied. 'Chapter 15: Conserving and Enhancing the Natural Environment' states that development should be 'minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures.'
- 3.2 The Government Circular 06/2005, which is referred to by the NPPF, provides further guidance in respect of statutory obligations for biodiversity and geological conservation and their impact within the planning system.

#### Local Planning Policy

- 3.3 The site is within the Havant Borough; the Local Plan is currently comprised of the core strategy (2011) and site allocations plan (2014). These two plans form part of the development plan and are a starting point for decision making around planning applications. A new plan (Building a Better Future Plan) is in draft, set to supersede the current plans following ongoing consultations.

#### **Policy CS11 Protecting and Enhancing the Special Environment and Heritage**

- 3.4 Ensures the key landscape and built form principles set out in the Havant Borough Townscape, Landscape and Seascape Character Assessment are protected and where possible enhanced by partnership working with developers, groups and the wider community.
- 3.5 Protects and where possible enhances the borough's statutory and non-statutory designated landscape, habitats and features of biological, hydrological or geological interest. Protection and enhancement will be achieved by appropriate adaptation and mitigation measures including wardening, education and information and the creation of new habitats, water bodies/courses planting of new trees and woodland.
- 3.6 Has particular regard to the following hierarchy of nature conservation designations within the borough (as identified on the Proposals Map):
- i.* Special Protection Areas (SPA), Special Areas of Conservation (SAC) and Ramsar [International].
  - ii.* Sites of Special Scientific Interest (SSSI) and National Nature Reserves [National].
  - iii.* Sites of Importance for Nature Conservation (SINC), Local Nature Reserves (LNR), other Ancient Woodland not identified in (ii) above [Local].
- 3.7 Protects and where appropriate enhances the borough's statutory and non-statutory heritage designations by appropriately managing development in or adjacent to conservation areas, listed buildings, scheduled ancient monuments, historic parks and gardens, archaeological sites, buildings of local historic or architectural interest.
- 3.8 Supports an ongoing programme of survey of habitats and species and designation of Sites of Importance for Nature Conservation.
- 3.9 Incorporates partnership working with conservation organisations to improve public understanding of biodiversity and to manage public access to designated sites, particularly on the coast, to reduce harm to nature conservation interests.
- 3.10 Incorporates partnership working with landowners and developers to ensure land management practices restore, enhance and where appropriate create new valued landscapes, habitats and their soil structure, particularly the ancient woodland remnants of the Forest of Bere and coastal salt marsh.

- 3.11 Protects wildlife habitats and wildlife corridors to prevent the fragmentation of existing habitats and to allow species, for example Brent Geese, to respond to the impacts of climate change by making provision for habitat adaptation e.g. coastal managed realignment and species migration.
- 3.12 Maintains undeveloped gaps between the settlements of Emsworth/Havant; Havant/Waterlooville; Havant/Portsmouth; Emsworth/Westbourne and Leigh Park/Rowlands Castle as shown on the Proposals Map.
- 3.13 Protects the best and most versatile agricultural land that has the greatest potential for local food security.
- 3.14 Responds to the emerging evidence from the Solent

### Legislation

3.15 Legislation relating to wildlife and biodiversity of particular relevance to this PBRA includes:

- The Conservation of Habitats and Species Regulations 2017;
- The Wildlife and Countryside Act 1981 (as amended);
- The Natural Environment and Rural Communities (NERC) Act 2006;
- The Hedgerow Regulations 1997;
- The Protection of Badgers Act 1992;
- The Wild Mammals (Protection) Act 1996;
- The Environment Act 2021.

3.16 All species of bat and their roosts are protected under The Conservation of Habitats and Species Regulations 2017 and The Wildlife and Countryside Act 1981. It is an offence to intentionally kill, injure or handle a bat, to possess a bat (live or dead), disturb a roosting bat, or sell or offer a bat for sale without a licence. It is also an offence to damage, destroy or obstruct access to any place used by bats for shelter, whether they are present or not.

3.17 All UK bird species are protected against disturbance whilst occupying a nest under the Wildlife and Countryside Act 1981. Developments that could predictably disturb, kill or injure nesting birds could result in an offence. Furthermore, a number of bird species are targets of UK and Local Biodiversity Action Plans and listed as Species of Principle Importance under Section 41 of the Natural Environment and Rural Communities (NERC) Act 2006. This obligates local authorities to have regard to the purpose of conserving biodiversity with particular emphasis on targeted species.

3.18 All widespread reptiles are protected against killing and injury under the Wildlife and Countryside Act 1981, with rarer reptiles receiving further protection under EU regulation. Reptiles must also be given consideration under the NERC Act 2006 as part of the planning process.

3.19 Great crested newts (GCN) are protected under The Conservation of Habitats and Species Regulations 2017. It is an offence for anyone to intentionally kill, injure or disturb a GCN or to damage, destroy or block access to areas of suitable habitat.

3.20 Badgers are protected under the Protection of Badgers Act 1992. It is an offence to harm badgers or disturb badgers and their setts.

3.21 Water voles are fully protected under Schedule 5 of the Wildlife and Countryside Act 1981 and are a priority conservation species. It is an offence to intentionally capture, kill or injure water voles, damage, destroy or block access to their places of shelter or protection (on purpose or by not taking enough care), disturb them in a place of shelter or protection (on purpose or by not taking enough care), possess, sell, control or transport live or dead water voles or parts of them (not water voles bred in captivity).

3.22 In the UK, dormice are legally protected under Schedule 5 of the Wildlife and Countryside Act 1981 (as amended) and have significant further protection as a European Protected Species under the Conservation of Habitats and Species Regulations 2017 (as amended). Dormice are also a 'Species of Principal Importance for the conservation of biodiversity' listed under section 41 of the Natural Environment and Rural Communities Act 2006 (NERC). It is an offence for anyone to intentionally kill, injure or disturb a dormouse or to damage, destroy or block access to areas of suitable habitat.

3.23 All other mammals receive general protection against cruelty, inhumane killing or injuring under the Wild Mammals (Protection) Act 1996. This protection includes 'intentional' crushing and asphyxiation, for example that might occur when excavating mammal burrows.

3.24 In England, Biodiversity Net Gain (BNG) is mandatory from 12 February 2024 under Schedule 7A of the Town and Country Planning Act 1990 (as inserted by Schedule 14 of the Environment Act 2021). Developers must deliver a BNG of 10%. There are a number of exemptions such as for custom and self-build applications. This development is not exempt from Mandatory BNG.

## 4.0 Methodology

### Desktop Study

- 4.1 A desktop study was conducted using the government 'MAGIC' Map GIS tool; a search was carried out for all international statutory designated sites (Ramsar, SAC, SPA) within 2.0 km of the site; national statutory designated sites (SSSI, NNR, LNR) within 2.0 km of the site; and non-statutory designated sites (SNCI) and priority habitats within 1.0 km of the site. Any sites of relevance to the proposals are summarized below and their significance considered in the context of the development proposals. A search was also carried out to identify features of ecological interest in the area, such as water bodies and ancient woodland. Given the overall scale and nature of the site and the proposals, a full data search from HBIC was not considered appropriate. This is in accordance with CIEEM current guidance for such projects.

### Site Visits

- 4.2 The site was assessed by an experienced bat surveyor for its potential to hold roosting bats (A Preliminary Ecological Appraisal and Preliminary Bat Roost Assessment was carried out on the 10<sup>th</sup> of October 2024 by Linda Pryke (BSc, MSc, ACIEEM, Ecologist of TSA Ecology).
- 4.3 An updated site assessment was conducted on 10<sup>th</sup> March 2025 by Aidan Bird (BSc Accredited Agent under NE Level 2 Bat Licence 2018-34434-CLS). The site contains a complex building sectioned into three (B1, B2, & B3) of which B1 and B2 were originally assessed as having low potential to support a bat roost. The update visit additionally used artificial light, thermal imaging and an endoscope to inspect PRFs, specifically surround the target note areas (Appx.E).
- 4.4 Despite two site visits carried across two separate days some months apart, it is possible that some signs of protected species may not be apparent within this short timeframe. This is a constraint recognised within the Survey Guidelines and all reasonable effort has been made to identify evidence of protected species. Other species have been considered where relevant.

### Bat Emergence Survey

- 4.5 A suite of bat emergence surveys were undertaken of the dwelling on 4<sup>th</sup> May 2025 and 29<sup>th</sup> May 2025 in accordance with the Bat Conservation Trust - Bat Surveys for Professional Ecologists: Good Practice Guidelines Fourth (2023) Editions, and the Interim Guidance on the Use of Night Vision Aids (2022).
- 4.6 The dusk emergence survey began c.20 minutes before sunset and continued until c.1.5 hours after.

**Table 1 – Summary of Bat Surveys**

| Date                      | Sunset | Start | End   | Weather Conditions - Start | Weather Conditions - End   |
|---------------------------|--------|-------|-------|----------------------------|----------------------------|
| 4 <sup>th</sup> May 2025  | 20:30  | 20:10 | 21:30 | 14.2°C, BF.2, Okt.7, RH51% | 9.8°C, BF.2, Okt.8, RH52%  |
| 29 <sup>th</sup> May 2025 | 21:05  | 20:55 | 22:35 | 16.4°C, BF.2, Okt.8, RH84% | 14.5°C, BF.3, Okt.8, RH88% |

- 4.7 The building was covered using five experienced surveyors and at least four external infrared cameras (Canon XA20, XA30, or XA40, or Nightfox Whisker with two Illuminators per camera— Nightfox XB5 Pro 850nm torches and separate double mounted infrared floodlights) to improve coverage, better vision later into the survey and the ability to review potential emergences. When surveyors deemed light levels too low to identify features on the building, the use of external monitors (10 inch with 1024 x 600 resolution) displaying camera outputs were implemented.

- 4.8 All surveys were designed by Aidan Bird and led by Lauren Bird (Assistant Ecologist with over 4 years relevant experience), with supervision from George Sayer MCIEEM (Level 2 Bat Licence 2018-34434-CLS) where required, using assistant surveyors with at least 1 year of emergence survey experience. Surveyors and cameras thoroughly covered the survey area and the likelihood of bats being missed is very low.
- 4.9 Bat detection was carried out using Echo Meter Touch 2 Pro Full Spectrum Recording Bat Detectors enabling a sampling rate of 384kHz to capture sounds of up to 192kHz ensuring that all British bat species calls are detectable. Analysis of recordings were carried out where necessary on Sonobat software. Infrared camera footage was reviewed at between 0.8-1.5x speed on VLC media player where necessary.

## 5.0 Results

### Update daytime assessment

- 5.1 A single common pipistrelle was identified via endoscope roosting under the hanging tiles on the east gable end of the reception building B2 (Appx.B). Feature 1 identified by TSA ecology was inspected and showed no signs of roost bats however due to the extensive space behind hanging tiles, the features bat roosting potential could not be definitively ruled out.

### Bat Emergence Survey

- 5.2 The first emergence survey identified a non-echolocating bat emerging from the hanging tiles on the east end of B2 where an endoscopic inspection had previously identified a common pipistrelle. The bat emerged 16 minutes after sunset and departed site to the southeast. The first echolocation calls recorded were common pipistrelle at 44 minutes after sunset. The only other species recorded was soprano pipistrelle from a single pass across the site 56 minutes after sunset.
- 5.3 No bats were observed emerging from or closely interact with the building during the second survey. Only two species were recorded during the survey, soprano pipistrelle and noctule.
- 5.4 The building was classified to be a day roost for a single common pipistrelle using the hanging tiles on the eastern gable end of B2. The roost is of **site** value
- 5.5 The surveys did not reveal the garden to be of any foraging value in its current condition. The large treeline/hedgerow around the perimeter of the site is of commuting value to bats but only at site level.

## 6.0 Evaluation of Impacts and Mitigation

### *Potential Impacts*

- 6.1 The dwelling is a day roost for 1no. common pipistrelle bat and is of low conservation significance.
- 6.2 The proposals are predominantly for internal remodelling which is unlikely to impact the identified bat roost. The scope of repairs could potentially include the area used by roosting bats. Any work directly impacting the roosting feature or surroundings could potentially impact and potentially destroy the roost. The hedgerow and trees on site were not deemed mature enough to provide roosting habitat for bats however are likely used as linear features by commuting bats. Removal of these with the absence of mitigation will likely have a significant effect on commuting bats.
- 6.3 In the absence of mitigation, incorrect lighting could lead to loss of foraging and commuting areas.

### *Mitigation and Compensation*

- 6.4 A Natural England Mitigation Licence will not be necessary unless impacting the hanging tiles or gable end where the bat roost has been identified. Precautionary measures to other work on site should be adopted to ensure no harm to bats and compliance with legislation.
- 6.5 Vegetation of the site boundaries will be replaced with a hedgerow of native species. This will reduce the overall height to encourage use of the site whilst still providing the linear feature preferred by commuting bat species.
- 6.6 Any new lighting will be expected to accord with the principles within the BCT/ILP Guidance Note 08/23; consideration will be given to the following aspects should any external lighting be required:
  - Hanging tiles should not be illuminated
  - Temperature – 2700K or below is preferable
  - Power – the lowest power necessary;
  - Lighting type – LED lighting tends to emit a lower-intensity beam than older styles of lighting, although the full lighting spectrogram must be assessed as some LED lights emit blue and white light;
  - Angle – lights must be angled below the horizontal and as far down as possible;
  - Adaptations – luminaires can be fitted with guards or cowls to reduce the angle of lightspill;
  - Timings and controls – lighting controls should aim to minimise light use when not necessary – PIRs can be used but must be set to be low-sensitivity; lights should be set to automatic shut-off whenever possible.

### *Residual Impacts*

- 6.7 The overall impact of the scheme will be negligible. No significant effects are anticipated upon any designated site for bats, provided basic avoidance measures are built into the proposals.

## 7.0 Ecological Enhancements

- 7.1 Because of the scale and nature of the proposals, ecological enhancement opportunities within the construction zone are limited. The most beneficial enhancements would involve improvement of the garden to include a variety of flowering plants and larger shrubs. Furthermore, addition of bird nesting features such as sparrow terraces and swift bricks would also demonstrate a positive impact for ecology on site.
- 7.2 Bug hotels and bee bricks are excellent enhancements to aid invertebrates. These can be purchased or self-made using natural materials, such as straw, bark, wood, and bamboo canes. Guides for construction are available across many different platforms including (The Wildlife Trust, 2023) (RSPB, 2023).
- 7.3 Deadwood can provide a home for many species. Leaving wood piles on the ground under a shaded area will maintain a moist environment and encourage a multitude of organisms including fungi (The Royal Horticultural Society, 2023a).
- 7.4 Efficient nests are essential for hedgehogs to survive the winter months. Supplying a dedicated hedgehog box can provide them with a safe and suitable location to hibernate (The British Hedgehog Preservation Society, 2023). Hedgehogs travel extensive distances so ensuring there is good accessibility to and from the site will be a benefit to the species. This could be done by as simple as cutting a 13cm<sup>2</sup> hole in fencing (Hedgehog Street, 2023).
- 7.5 Water is an essential resource for wildlife. Where space is limited, the addition of a water receptacle such as a bird bath will be a significant benefit to many species, especially during summer months.
- 7.6 Garden plants are becoming increasingly important for wildlife. They interact with multiple organisms from providing sources of food such as berries, fruits, nectar to creating habitat. There are many plants that will encourage a variety of wildlife, such as the RHS 'Plants for Pollinators' list (The Royal Horticultural Society, 2023c).
- 7.7 It is also good to consider a range of plants with varying flowering and fruiting times, to support wildlife during every month of the year.

## 8.0 Conclusions

- 8.1 Overall, the proposals are likely to represent a 'negligible' impact upon ecology.
- 8.2 The dwelling affected by the proposals offered low bat roost potential, and further surveys have ascertained that the building is a day roost for 1no. common pipistrelle bats.
- 8.3 The proposals are predominantly for internal remodelling which is unlikely to impact the identified bat roost. The scope of repairs could potentially include the area used by roosting bats. Any work directly impacting the roosting feature would destroy the roost and work in the surroundings could indirectly impact the bat roost. The hedgerow and trees on site were not deemed mature enough to provide roosting habitat for bats however are likely used as linear features by commuting bats. Removal of these with the absence of mitigation will likely have a significant effect on commuting bats.
- 8.4 When mitigation and enhancements have been taken into account, the proposals are not considered to have a negative impact upon habitats or protected species in accordance with planning policy and once enhancements are considered, would result in a minor net gain. The proposals would therefore accord with the relevant local and national planning policies and the relevant legislation.

## 9.0 References

- Bat Conservation Trust (2023). Bat Surveys for Professional Ecologists: Good Practice Guidelines. Fourth Edition. Available online: <http://www.bats.org.uk/pages/batsurveyguide.html>
- Bat Conservation Trust and Institution for Lighting Professionals (BCT/ILP, 2023). Bats and artificial lighting guidance note. Available online: <https://www.bats.org.uk/our-work/buildings-planning-and-development/lighting>
- British Standards Institution. (2013). BS 42020:2013 Biodiversity – Code of practice for planning and development. London: BSI Joint Nature Conservation Committee (JNCC 2010). Handbook for Phase 1 habitat survey - a technique for environmental audit. Available online: <http://jncc.defra.gov.uk/page-2468>
- UKHab Ltd (2023). The UK Habitat Classification User Manual Version 2 at <http://www.ukhab.org/>
- Chichester District Council (2015) Chichester Local Plan: Key Policies 2014-2029
- CIEEM (2017) Guidelines for Preliminary Ecological Appraisal, 2nd edition. Chartered Institute of Ecology and Environmental Management, Winchester.
- CIEEM (2018) Guidelines for Ecological Impact Assessment, 1st edition. Chartered Institute of Ecology and Environmental Management, Winchester.
- CIEEM (2020) Guidelines for Accessing, Using and Sharing Biodiversity Data in the UK. 2nd Edition. Chartered Institute of Ecology and Environmental Management. Winchester, UK.
- CIEEM (2021) Bat Mitigation Guidelines, Beta Version 1.0. Chartered Institute of Ecology and Environmental Management, Winchester.
- Joint Nature Conservation Committee (JNCC 2010). Handbook for Phase 1 habitat survey - a technique for environmental audit. Available online: <http://jncc.defra.gov.uk/page-2468>
- MAGIC Interactive Map Tool (Accessed 30<sup>th</sup> March 2025): [www.magic.gov.uk](http://www.magic.gov.uk)
- Reason, P.F. and Wray, S. (2023). UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats. Chartered Institute of Ecology and Environmental Management, Ampfield.
- Streeter, D. (2010). The Most Complete Guide to the Flowers of Britain and Ireland; Harper Collins, London.

## 10.0 Appendix A - Site Maps



Figure 1: Aerial imagery of the site, displayed as a red polygon marker, and surrounding area. Map created using © 2024 Google Earth




Figure 2: Combined Map 5 and 6 of the Havant Borough council Local Plan Maps identifying the site related to CS11



Figure 3: MAC Construction Site Plan



Figure 4: MAC Construction Ground Floor Plan

## 11.0 Appendix B - Site Photos



Photo 1 – Location of Common Pipistrelle under hanging tiles of the east gable end of building 2 (B2)





Photo 2 – Pipistrelle under hanging tiles demonstrating dark contrasting ear and muzzle to fur colour




Photo 3 – Common pipistrelle under hanging tile

12.0 Appendix C – Bat Survey Plan

Survey 1 – 4<sup>th</sup> May 2025





### 13.0 Appendix D - Night vision Stills from Emergence Surveys

Survey 1 – 4<sup>th</sup> May 2025



Photo 1 – IR.1 Start



Photo 2 - IR.1 End



Photo 3 – IR.2 Start



Photo 4 - IR.2 End



Photo 5 – IR.3 Start



Photo 6 - IR.3 End



Photo 7 – IR.4 Start



Photo 8 – IR.4 End

Survey 2 – 29<sup>th</sup> May 2025



Photo 9 – IR.1 Start



Photo 10 - IR.1 End



Photo 11 – IR.2 Start



Photo 12 - IR.2 End



Photo 13 – IR.3 Start



Photo 14 - IR.3 End



Photo 15 – IR.4 Start



Photo 16 - IR.4 End



Photo 17 – IR.5 Start



Photo 18 - IR.5 End

## **14.0 Appendix E – PEA inc PBRA by TSA Ecology**

# PRELIMINARY ECOLOGICAL APPRAISAL and Preliminary Bat Roost Assessment

---

54, Stockheath Road, Havant  
Hampshire PO9 5HQ

NOVEMBER 2024



**Author**

**TONY STONES** BSc (Hons), MSc, MCIEEM CEnV

Owner & Principal Ecologist

## Table of Contents


|                                                          |           |
|----------------------------------------------------------|-----------|
| <b>INTRODUCTION .....</b>                                | <b>3</b>  |
| 1.1 Background.....                                      | 3         |
| 1.2 Scope of Report.....                                 | 3         |
| 1.3 Site Context and Status.....                         | 3         |
| 1.4 Development Proposals.....                           | 4         |
| <b>2 METHODOLOGY .....</b>                               | <b>5</b>  |
| 2.1 Desk Study.....                                      | 5         |
| 2.2 Phase 1 Habitat Survey.....                          | 5         |
| 2.3 Bat Roost Assessment.....                            | 6         |
| <b>3 DESK STUDY RESULTS.....</b>                         | <b>7</b>  |
| 3.1 Nature Conservation Sites: Statutory Designated..... | 7         |
| 3.2 Nature Conservation Sites: Non-statutory.....        | 7         |
| 3.3 Priority Habitats.....                               | 8         |
| 3.4 Ponds.....                                           | 9         |
| 3.5 Protected Species: Fauna.....                        | 9         |
| 3.6 Protected species: Flora.....                        | 13        |
| 3.7 Invasive Flora.....                                  | 13        |
| <b>4 PHASE 1 HABITAT SURVEY.....</b>                     | <b>14</b> |
| 4.1 Survey Constraints and Limitations.....              | 14        |
| 4.2 Habitats.....                                        | 14        |
| 4.3 Fauna.....                                           | 22        |
| 4.4 Invasive Plant Species.....                          | 22        |
| <b>5 PRELIMINARY BAT ASSESSMENT.....</b>                 | <b>23</b> |
| 5.1 Survey Constraints and Limitations.....              | 23        |
| 5.2 Exterior.....                                        | 23        |
| 5.3 Interior.....                                        | 24        |
| <b>6 EVALUATION and CONCLUSIONS.....</b>                 | <b>26</b> |
| 6.1 Habitats.....                                        | 26        |
| 6.2 Statutory sites.....                                 | 26        |
| 6.3 Non-statutory habitats and sites.....                | 26        |
| 6.4 Species.....                                         | 26        |

|          |                                                   |           |
|----------|---------------------------------------------------|-----------|
| <b>7</b> | <b>RECOMMENDATIONS.....</b>                       | <b>29</b> |
|          | <i>Designated Sites</i> .....                     | 29        |
|          | <i>Bats</i> .....                                 | 29        |
| 7.3      | <i>Roosting:</i> .....                            | 29        |
| 7.4      | <i>Commuting and foraging:</i> .....              | 29        |
|          | <i>Birds</i> .....                                | 30        |
| 7.6      | <i>Invasive flora</i> .....                       | 30        |
|          | <i>Other Legally Protected Species</i> .....      | 31        |
|          | <i>Ecological Enhancement Opportunities</i> ..... | 31        |
| <b>8</b> | <b>LEGISLATION AND POLICY .....</b>               | <b>32</b> |
| 8.1      | <i>Introduction</i> .....                         | 32        |
| 8.2      | <i>International Statutory Designations</i> ..... | 32        |
| 8.3      | <i>National Statutory Designations</i> .....      | 33        |
| 8.4      | <i>Non-Statutory Designations</i> .....           | 33        |
| 8.5      | <i>National Legislation</i> .....                 | 33        |
| 8.6      | <i>National Planning Policy Framework</i> .....   | 34        |
| 8.7      | <i>Biodiversity Net Gain</i> .....                | 35        |
| 7.8      | <i>The Local Plan</i> .....                       | 35        |
| 8.9      | <i>Other Legislation</i> .....                    | 36        |
| <b>9</b> | <b>REFERENCES.....</b>                            | <b>37</b> |
|          | <b>APPENDIX A .....</b>                           | <b>39</b> |
|          | <b>APPENDIX B.....</b>                            |           |

## DOCUMENT CONTROL

|                 |                                   |
|-----------------|-----------------------------------|
| Document Title: | Preliminary Ecological Appraisal  |
| The Client:     | Mac Construction Consultants Ltd. |

**TSA Ecology** has prepared this report in accordance with the instructions of has prepared this report in accordance with the instructions of Ms Sarah Sullivan, Senior Architect, MAC Construction Consultants Ltd.

|             |                                                         |                                                                                      |
|-------------|---------------------------------------------------------|--------------------------------------------------------------------------------------|
|             | Status<br>DRAFT                                         | Date of issue<br>15/11/2024                                                          |
| Prepared by | Linda Pryke<br>BSc., MSc., ACIEEM<br>Ecologist          |    |
| Reviewed by | Tony Stones<br>BSc., MSc., MCIEEM,<br>CEnV<br>Ecologist |  |

COPYRIGHT © This report is the copyright of TSA Ecology. Any unauthorised reproduction or usage by any person is prohibited.

## LIABILITY

TSA Ecology has prepared this report for the sole use of the commissioning party in accordance with the agreement under which our services were performed. No warranty, express or implied, is made as to the advice in this report or any other service provided by us. This report may not be relied upon by any other party without the prior written permission of TSA Ecology. The content of this report is, at least in part, based upon information provided by others and on the assumption that all relevant information has been provided by those parties from whom it has been requested. Information obtained from any third party has not been independently verified by TSA Ecology, unless otherwise stated in the report.

This report is intended for the commissioning party only and should not be copied or reproduced in any way without prior written permission from TSA Ecology.

The views and opinions contained within the document are based on a reasonable timeframe between the completion of the survey and the commencement of any works.

Whilst every effort has been made to guarantee the accuracy of this report, it should be noted that living creatures are capable of migration and whilst protected species may not have been located during the survey duration, their presence may be found on site at a later date.

If there is any delay between the commencement of works that may conflict with timeframes laid out within this document or have the potential to allow the ingress of protected species, a suitably qualified ecologist should be consulted.

It is the duty of care of the landowner/developer to act responsibly and comply with current environmental legislation if protected species are suspected or found prior to works.

**Biological Records** of species identified during the field survey, the date, their location and a brief description of the circumstances of their identification, may be passed on to Biological Records Centres, local wildlife groups, the Wildlife Trust, Natural England and other interested parties unless written instructions not to do so are received within 30 days of receipt of this report.

The surveys and reporting was carried-out by Linda Pryke, an Associate member of the Chartered Institute of Ecology and Environmental Management (ACIEEM). Linda achieved a BSc (Hons.) in Conservation Management (UEA 2006) and a MSc (Hons) with distinction in Biodiversity Survey (US 2007).

Since 2007 Linda has worked on both large and small-scale development projects, industrial and domestic, holds a Great crested newt licence (level 1) and is an experienced ecologist competent in carrying out ecological surveys and assessments.

**Lifespan of report:** This report and its conclusions are valid for 12 months from the date of survey. Should there be any significant change in site condition or development boundaries, the report may need revision.

## SUMMARY

A Preliminary Ecological Appraisal and Preliminary Bat Survey were carried out on behalf of Havant Borough Council, in support of proposed development at 54, Stockheath Road, Havant, Hampshire PO9 5HQ.

A site survey was carried out on 10<sup>th</sup> October 2024.

The site (c. 0.1 ha.) comprises a former care home with chalet bungalow linked to two linked, single-storey buildings, outhouse, amenity grassed areas, planted beds, and hardstanding. The site is bounded by an overgrown introduced conifer hedge and trees.

Although there are no foreseen risks of impacts on Priority or Principal Habitats or non-statutory conservation sites, **the site lies within the Zone of Influence for European (Habitat) sites. Measures may be required to mitigate recreational pressures.**

The site is within the catchment of one or more European (Habitats) sites vulnerable to nutrient impacts. Therefore, **further assessment (including Habitat Regulations Assessment with nutrient budget calculation) and consultation with Natural England may be necessary.**

Two buildings were assessed as having low bat potential, having external features suitable to shelter bats. Should bats be confirmed, a **Natural England Mitigation licence (or potentially a Low Impact Class Licence) would be required to enable works to proceed lawfully under the supervision of a suitably licenced bat ecologist.**

To assess whether bats are using the buildings **a single dusk survey will be required** on each building (two surveyors per building between May and August inclusive, during suitable weather conditions).

If bats are found to emerge, then two further surveys (May – September inclusive) will be required to classify any roost types present and to inform mitigation, and a **Natural England Mitigation licence (or potentially a Low Impact Class Licence)** would be needed to enable any works affecting it to proceed lawfully.

**The development has the potential to impact on commuting bats**, so any proposed additional lighting should follow best practice and be directed away from sensitive areas.

No additional impacts are predicted on fauna with the exception of bats, and no further surveys are recommended.

No invasive plants subject to WCA (1981) Schedule 9 legislation were found to be present, but survey was undertaken late in the year, so it is possible that early perennial species may have been missed, in particular three-cornered leek and Montbretia. **It is an offence to cause these to grow in the wild. If any groundworks are to take place, then it would be advisable to survey for invasive species**, with any contaminated soil and plant material detected being managed or treated and/or disposed of appropriately and with regard to the legislation.

Buddleija (butterfly-bush) is present within the site, and although not included on Schedule 9, is invasive and it would be advisable to remove and dispose of it appropriately.

## INTRODUCTION

### 1.1 Background

- 1.1 TSA Ecology was commissioned by Ms Sarah Sullivan, Senior Architect, MAC Construction Consultants Ltd. to undertake a Preliminary Ecological Appraisal and Preliminary Bat Roost Assessment in preparation for delivering a temporary accommodation for the homeless project for Havant Borough Council at 54, Stockheath Road, Havant, Hampshire PO9 5HQ (OSGR SU 71740793).
- 1.2 This assessment is required to inform a planning application associated with the proposed works. It provides baseline ecological information for the site and assesses the potential for protected species to be impacted. The assessment highlights any potential ecological constraints associated with the proposed works.

### 1.2 Scope of Report

- 1.3 This report is based on an extended field survey using standard Phase 1 habitat survey methodology (JNCC, 2010), and a protected species assessment. This approach is designed to identify broad habitat types at a site, to identify the potential of habitats to support protected species, and to assist in providing an overview of the ecological interest at a site. It is the most widely used and professionally recognised method for a preliminary ecological site appraisal.
- 1.4 The appraisal assesses the site as defined by the red line boundary provided by Havant Borough Council (see Appendix 1, Habitat Map).

### 1.3 Site Context and Status

- 1.5 The site is located within the town of Havant, within the jurisdiction of Havant Borough Council, approximately centred on National Grid Reference SU 7174 0793.

- 1.6 The site is approximately rectangular, covering c. 0.1 ha., within which a number of low, interconnected buildings are set within hardstanding and gardens, bounded by trees / overgrown hedge. Historic satellite imagery (Google Earth Pro 2024) shows little change since 1999. The most recent use of the property has been as a care home. Immediately to the west lies a modern supermarket and offices with car parking, residences with gardens to the north and east, and Stockheath Road to the south, with Battins' Copse woodland just beyond to the southeast.

The wider landscape is a matrix of housing and greenspaces, broadening out into more open countryside approximately 1 km to the north and east.

#### 1.4 Development Proposals

- 1.7 It is understood that the project will convert the existing premises into suitable temporary living accommodation for homeless persons.

## 2 METHODOLOGY

### 2.1 Desk Study

2.1 An ecological desk study was undertaken to determine the presence of any designated nature conservation sites and legally protected or notable species in proximity to the site. This involved contacting appropriate statutory and non-statutory organisations which hold ecological data relating to the study area. TSA Ecology then collated and reviewed the desk study data provided.

2.2 The consultees for the desk study are:

- Natural England – MAGIC database; and
- Hampshire Biodiversity Information Centre.

2.3 The desk study included a search for the following within a 1 km radius of the site:

- European statutory nature conservation sites;
- Non-statutory nature conservation sites;
- European protected species licences (to 5 km for bats); and
- Protected / notable species records (to 2 km for bats).

2.4 A check was made to determine the position of the site within SSSI risk zones and examine potential impacts.

2.5 The desk study did not cover Tree Preservation Orders (TPOs) or Conservation areas designated for their special architectural and historical interest.

### 2.2 Phase 1 Habitat Survey

- 2.6 A walkover survey was carried out by Linda Pryke BSc, MSc on 10<sup>th</sup> October 2024.
- 2.7 The survey area comprised the boundary as shown on Figure 1, Appendix A. Where visibility permitted, the survey area was extended to approximately 30 m beyond this area. The latter was assessed from the site's boundary only. The survey of the site was carried out in accordance with the industry standard, JNCC (2010), in order to produce a Phase 1 Habitat map.
- 2.8 In addition to habitats, the presence, or potential presence, of legally protected and / or notable species was noted.
- 2.9 Whilst every effort is made to notify the client of any plant species listed on Schedule 9 of the Wildlife and Countryside Act (1981, as amended) present on site, it should be noted that this is not a specific survey for these species.
- 2.10 Data recorded during the field survey are discussed in Section 4. A habitat plan of the site is included in Appendix A.

## 2.3 Bat Roost Assessment

- 2.11 The exterior of all buildings and trees were inspected from ground level in accordance with BCT guidelines (Collins 2023), aided by binoculars. Any features likely to be used by bats were noted. The search also included evidence that could indicate the presence of bats such as droppings, feeding signs, staining or scratches at access points, bats (live or dead).
- 2.12 The interior and loft spaces of all buildings were inspected where accessible, and a systematic search made with the aid of a torch for evidence to indicate the potential presence or usage of the interior spaces by bats. Potential points of entry were also noted.

### 3 DESK STUDY RESULTS

- 3.1 This section provides the key findings of significance to the site and proposed works.
- 3.2 In compliance with the Terms and Conditions relating to its commercial use, the full desk study is not provided within this report.

#### 3.1 Nature Conservation Sites: Statutory Designated

- 3.3 **The proposed development site is not within nor adjacent to any statutory designated conservation areas, nor are there any within 1 km of the site boundary.** An extensive complex of SSSIs with additional designations (SAC, Ramsar, SPA) lies 2.8 km to the south at the closest point, beyond the town of Havant (MAGIC 2024).
- 3.4 **The site is within the Impact Risk Zones for SSSIs**, the closest being Langstone Harbour (SSSI, SPA, Ramsar) 2.8 km SE. There is the possibility that the development may impact on designated European sites if it causes an increase in the local population, both by an increase of nutrients affecting water quality, and by recreational pressures. Therefore, **further assessment (including Habitat Regulations Assessment with nutrient budget calculation) and consultation with Natural England may be necessary** (Natural England 2024).

#### 3.2 Nature Conservation Sites: Non-statutory

- 3.5 **The proposed development site is not adjacent to nor within any non-statutory designated conservation areas.** Table 1 includes a summary of the four Sites of Importance for Nature Conservation (SINCs) within the search area, the closest being Battins Copse, c. 30 m S, buffered from the site by roads.

| <b>Statutory Sites</b>                                     |                     |                                                       |                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------|---------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Site name</b>                                           | <b>Grid ref.</b>    | <b>Approximate distance/direction from site</b>       | <b>Summary description/key features</b>                                                                                                                                                                                                                               |
| None.                                                      |                     |                                                       |                                                                                                                                                                                                                                                                       |
| <b>Non Statutory Sites</b>                                 |                     |                                                       |                                                                                                                                                                                                                                                                       |
| <b>Sites of importance for Nature Conservation (SINCs)</b> |                     |                                                       |                                                                                                                                                                                                                                                                       |
| <b>Site</b>                                                |                     | <b>Size, Approximate distance/direction from site</b> | <b>Designation criteria category (Wilson 2021).</b>                                                                                                                                                                                                                   |
| HV0134                                                     | Battins Copse       | 2.75 ha. 30 m S                                       | 1B. Other woodland where there is a significant element of Ancient semi-natural woodland surviving or supporting some characteristics of ancient woodland.                                                                                                            |
| HV0077                                                     | Great Copse, Havant | 5.71 ha. 360 m NNW                                    | 1A. Ancient semi-natural woodland.                                                                                                                                                                                                                                    |
| HV0081                                                     | High Lawn           | 11.74 ha. 710 m N                                     | 2B. Semi-improved grasslands which retain a significant element of unimproved grassland.<br>5B. Fens, flushes, seepages, springs and inundation grasslands of floodplains that support a flora and fauna of less-improved and wet conditions (Seasonal or permanent). |
| HV0070                                                     | Thicket Lawn        | 10.56 ha. 820 m N                                     | 2B/5B as above.                                                                                                                                                                                                                                                       |

**Table 1: Statutory and Non-statutory Sites within 1 km of Site (HBIC 2024)**

### 3.3 Priority Habitats

#### **3.6 The site does not contain, nor is it adjacent to any UK BAP priority habitats.**

Four areas of **Deciduous Woodland** are present, the closest being Battins Copse SNCI. Further deciduous woodland is present as a component of Staunton Country Park along with **Woodpasture and Parkland** (630 m NNE at the closest point).

**Coastal and Floodplain Grazing Marsh** occurs at the margins of the Hermitage Stream 780 m SW at the nearest point, isolated from the site by housing and roads.

**Ancient and Semi-natural Woodland** (Great Copse) is present 430 m N, also buffered by housing and roads.

### 3.4 Ponds

3.7 There are no ponds or areas of standing water within 500 m of the site, when viewed on MAGIC at a scale of 1:500.

### 3.5 Protected Species: Fauna

**3.8 A search on MAGIC (2024) returned no approved licence applications granted by Natural England pertaining to great crested newts or other European Protected Species within 1 km of the site,** and no records of great crested newt within Natural England’s licencing returns.

3.9 The search returned no granted licence application by Natural England in respect of bats within 1 km of the site, two were issued for 1-3 km for works affecting common pipistrelles, with works further afield for Soprano pipistrelles, brown long-eared bats and serotine.

| Species                     | Distance from site, number of licences, activity, (licencing period) |                                                      |                                                                                                                           |
|-----------------------------|----------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|                             | 1 km (0)                                                             | 1-3 km (2)                                           | 3-5 km (4)                                                                                                                |
| <b>Common pipistrelle</b>   |                                                                      | Destruction of resting place (2019-2024, 2014-2015). | Destruction of resting place (2013-2016).<br>Damage of resting place (2015-2020).<br>Damage of breeding site (2020-2025). |
| <b>Soprano pipistrelle</b>  |                                                                      |                                                      | Destruction of resting place (2020-2024).<br>Damage of breeding site (2020-2025).                                         |
| <b>Serotine</b>             |                                                                      |                                                      | Damage of resting place (2015-2020).                                                                                      |
| <b>Brown long-eared bat</b> |                                                                      |                                                      | Destruction of breeding site (2013-2016).<br>Damage of resting place (2015-2020).                                         |

**Table 2: Natural England granted EPSL licences for works pertaining to bats 2012-2023 (MAGIC 2024)**

3.12 HBIC returned seven records for **West European Hedgehog**, the closest and most recent being 520 S in 2020. No other legally protected or notable mammals were recorded.

**3.13 Reptiles and amphibians** have been recorded (number of records in parentheses); common toad (1), adder (2) and common lizard (1) but none within 600 m of the site. There are four records for slow-worm, the closest from 260 m ESE, but there is limited habitat present within the locality and negligible suitability to attract or shelter this species. Full details of all historic species records are included within the HBIC Desk Study Report.

#### **Bats**

3.14 Fourteen bat species have been recorded within 2 km of the site post 2000.

A further 225 records were identified to genus level (number of records in parentheses): *Pipistrelle sp.* (57), *Plecotus* (41), *Myotis* (121) and 6 identified as whiskered / Brandts bat.

No bat records were recorded from within the site, with the majority of records being at a distance of 1 km away. The closest record was of a common pipistrelle, potentially 130 m SW in 2021. A summary is provided in Table 3.

| <b>Species</b> (number of records) nearest- distance, year, bearing.                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>NERC S41</b> | <b>Habitats directive 1992</b>   | <b>IUCN Red List Great Britain 2001</b>                                   | <b>Other</b>                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|---------------------------------------------------------------------------|-----------------------------|
| <b>Common pipistrelle</b> (451) 130 m 2021 SW                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 | Annex 4                          |                                                                           |                             |
| <b>Soprano pipistrelle</b> (232) 600 m 2022 SW                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | *               | Annex 4                          |                                                                           |                             |
| <b>Serotine</b> (174) Maternity roost 600 m 2023 SW                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 | Annex 4                          | Vulnerable: high risk of extinction in the wild.                          |                             |
| <b>Noctule</b> (135) 600 m 2022 SW                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | *               | Annex 4                          |                                                                           |                             |
| <b>Natterers bat</b> (47) 1.4 km 2022 N                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 | Annex 4                          |                                                                           |                             |
| <b>Brown long-eared bat</b> (41) >1km 2023 N                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | *               | Annex 4                          |                                                                           |                             |
| <b>Bechsteins</b> (49) Tree roosts >1 km 2018 NNE                                                                                                                                                                                                                                                                                                                                                                                                                                                                | *               | Annex 2 (non-priority), Annex 4. |                                                                           | Species of County Interest. |
| <b>Nathusius' pipistrelle</b> (27) 580 m 2015 SW                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 | Annex 4                          | Near Threatened: Likely qualify for threatened status in the near future. |                             |
| <b>Whiskered bat</b> (24) 1.4 km N 2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 | Annex 4                          | Data Deficient: Inadequate data to enable assessment of extinction risk.  |                             |
| <b>Leislars' bat</b> (11) >1 km E 2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 | Annex 4                          | Near Threatened: Likely qualify for threatened status in the near future. |                             |
| <b>Daubentons</b> (8) >1 km NE 2022                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 | Annex 4                          |                                                                           |                             |
| <b>Western barbastelle</b> (24) >1 km N and W 2022                                                                                                                                                                                                                                                                                                                                                                                                                                                               | *               | Annex 2 (non-priority), Annex 4. | Vulnerable: high risk of extinction in the wild.                          | Species of County Interest. |
| <b>Brandts</b> (1) 1560 m 2018 E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 | Annex 4                          | Data Deficient: Inadequate data to enable assessment of extinction risk.  |                             |
| <b>Alcathoe</b> (1) 1560 m NE 2018                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 | Annex 4                          | Data Deficient: Inadequate data to enable assessment of extinction risk.  |                             |
| <p><b>NERC S41:</b> Natural environment and rural Communities Act (2006) species of principle importance.<br/> <b>Habitats Directive Annex 4:</b> Animal &amp; plant species of European community interest, in need of strict protection, protected from killing, disturbance, destruction of them, or their habitat.<br/> <b>Habitats Directive Annex 2 (non-priority):</b> Endangered animal or plant species of European community Interest, requiring the designation of special areas of conservation.</p> |                 |                                  |                                                                           |                             |

**Table 3: Summary of bat records and conservation status post 2000, as provided by HERC (2024)**

## Birds

3.14 There were 82 notable, noteworthy and protected bird species recorded within 1 km of the proposed development site, none from within the site boundary. The majority of species were associated with habitats not present at the site or nearby (i.e. gulls, common kingfisher, waders, farmland birds and birds of prey). Table 4 gives a summary of those species relevant to the habitats at the site.

| Species                   | Designations |                                                        |                                        |                                     |
|---------------------------|--------------|--------------------------------------------------------|----------------------------------------|-------------------------------------|
|                           | NERC S41     | Wildlife and Countryside Act (1981) Schedule1, part 1. | Birds of Conservation Concern (BOCC 5) | County status                       |
| Resident species          |              |                                                        |                                        |                                     |
| House Sparrow             | *            |                                                        | Red                                    |                                     |
| Greenfinch                |              |                                                        | Red                                    |                                     |
| Song Thrush               |              |                                                        | Red                                    |                                     |
| Linnet                    |              |                                                        | Red                                    |                                     |
| Siskin                    |              |                                                        |                                        | Of Interest                         |
| Firecrest                 |              | *                                                      |                                        | Scarce and Schedule 1* <sup>1</sup> |
| Summer foragers/nesters   |              |                                                        |                                        |                                     |
| Pied Flycatcher           |              |                                                        | Red                                    | Rare                                |
| Starling                  |              |                                                        | Red                                    |                                     |
| Winter arrivals/ foragers |              |                                                        |                                        |                                     |
| Redwing                   |              | *                                                      | Red                                    | Schedule 1* <sup>1</sup>            |
| Fieldfare                 |              | *                                                      | Red                                    | Schedule 1* <sup>1</sup>            |
| Black Redstart            |              |                                                        | Red                                    | Rare                                |

**Table 4. Notable and protected bird records relevant to the site (HBRC 2024).**

3.15 It is to be noted that in addition to species-specific designations and legislation, all nesting wild birds, their nests and eggs are fully protected under the WLCA Section 1.

## Invertebrates

3.16 Invertebrate records for the study area were dominated by moths recorded in 2000.

<sup>1</sup> Schedule 1 species are birds which have special protection during the breeding season anywhere in Britain and Ireland. You will need a specific licence or permit to approach an active nest or adult with dependent young. Note that fieldfare and redwing are winter visitors but firecrest is a Hampshire breeding species.

**Stag beetle** (Nationally scarce, S41 species) has been recorded 35 times within the study area (HBIC 2024) with records at several nearby locations, e.g. c. 300 m from the site in 2021 and 2023 (PTES 2024).

### 3.6 Protected Species: Flora

#### **Flora**

- 3.17 The data search from HBIC (2024) returned few records of flora within the 1 km search radius of the site post-2000; Box, Chamomile, Weasel's-snout, Ivy broomrape, Dwarf elder. None were close to, or specifically within the site boundary. Three further species were associated with features not present at the site *ie.* damp or aquatic habitats; Slender tufted-sedge, Brackish water-crowfoot and Lesser spearwort.

### 3.7 Invasive Flora

#### **Flora**

- 3.18 16 terrestrial species have been recorded within 1 km of the site. Of these, four are listed in WCA (2010) Schedule 9, making it an offence to cause these to spread into the wild: three-cornered leek (136 m S. 2023), Montbretia (460 m N 2001) Virginia creeper (c. 1 km S 2017) and Japanese knotweed (930 m S 1997).

The following species are also considered invasive - garden privet, Japanese honeysuckle and cherry laurel were all recorded within 70 m of the site in 2023, and other species recorded further afield are the tree species Corsican pine, false acacia, bay, evergreen oak and Turkey oak, along with the following shrub species Japanese honeysuckle, butterfly-bush and Kerria japonica.

## 4 PHASE 1 HABITAT SURVEY

4.1 The results of the Phase 1 Habitat Survey are presented below. An annotated Phase 1 Habitat Survey Drawing is provided in Appendix A, Figure 1. This drawing illustrates the location and extent of all habitat types recorded on site. Photographs taken during the field survey are presented in Appendix B. The Phase 1 Habitat survey was undertaken on 10<sup>th</sup> October 2024.

4.2 Table 5 details the weather conditions at the time of the survey.

| Parameter        | Condition                       |
|------------------|---------------------------------|
| Temperature (°C) | 10                              |
| Cloud (%)        | 100%                            |
| Wind             | 1                               |
| Precipitation    | Dry. (ground damp)              |
| Notes            | Preceding night mild, overcast. |

**Table 5: Weather Conditions During Field Survey**

### 4.1 Survey Constraints and Limitations

4.3 The survey was undertaken in October, which is considered sub-optimal (optimal times are March – September inclusive, when a majority of plant species are in flower). However, the weather had remained mild, without frost, and trees were still in leaf. The majority of flora generally expected to be present within the type of habitats that comprise the site should still have been evident.

### 4.2 Habitats

4.4 The following habitat types were recorded on site during the field survey:

- Buildings and hardstanding;
- Amenity grassland;
- Introduced shrub;
- Individual scattered trees;
- Boundary features (overgrown hedge and fences); and
- Flowerbed.

- 4.5 These habitats are described and assessed in Table 6 below. They are not in order of ecological importance.


| Habitat                       | Photo                                                                               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Assessment           |
|-------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Buildings and<br>hardstanding |  | <p>The dominant habitat present on-site. A series of interconnected brick-built single-storey buildings linked to a chalet bungalow to the south. Hardstanding in the form of tarmac at the south of the site (Photo 1), and to the north and east of the site bordering the buildings (Photo 2).</p> <p>Crazy paving is also present, particularly within the central garden area. Some vegetation is establishing in cracks, including butterfly-bush, fleabane and rough grasses (Photo 3).</p> | No ecological value. |


TSA ECOLOGY

|  |                                                                                                    |                                                                                                                                        |  |
|--|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  <p>Photo 2</p> | <p>An extensive gravelled area sits to the south of the site, sparsely vegetated with colonizing annuals and perennials (Photo 4).</p> |  |
|  |  <p>Photo 3</p> |                                                                                                                                        |  |

54 Stockheath Road,  
Hampshire PO9 5HQ  
MAC Construction Consultants Ltd.  
Preliminary Ecological Appraisal including Preliminary Bat Roost Assessment

**TSA ECOLOGY**

|  |                                                                                                   |  |  |
|--|---------------------------------------------------------------------------------------------------|--|--|
|  |  <p>Photo 4</p> |  |  |
|--|---------------------------------------------------------------------------------------------------|--|--|

|                            |                                                                                    |                                                                                                                                                                                                                                           |                                                                                                            |
|----------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Amenity grassland          |  | Amenity grassland. Neglected grassland area, species poor. Species present include dandelion, creeping cinquefoil and the grass species creeping bent (Photo 5).                                                                          | Negligible ecological value.                                                                               |
| Introduced shrub           |                                                                                    | Present in planted beds in the central garden and interspersed within boundary planting and hedge, where growth is sparse (Photo 2). Species present include snowberry, cherry laurel, common privet, hydrangea and dwarf conifers.       | Low ecological value. Limited in extent, but may support nesting birds.                                    |
| Individual scattered trees |                                                                                    | Trees 1 and 2; Coppiced ash trees with some sign of ash dieback.<br>Trees 3-13; Row of semi-mature, closely planted introduced conifers, possibly overgrown hedge.<br>Photo 5 includes trees 1 and 2 with trees 3-13 behind the building. | Low ecological value. Limited in extent, but may support nesting birds.<br>No potential for roosting bats. |

TSA ECOLOGY

|                   |                                                                                    |                                                                                                                                                                                                                                                                                |                                                                                                            |
|-------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Boundary features |  | Overgrown non-native conifer hedge confined by low retaining wall, backed by timber fencing to the eastern and southern boundaries of the site. Occasional introduced shrub present, poor, spindly growth due to shading. Photo 6 shows the boundary to the south of the site. | Low ecological value, but may support nesting birds and provide foraging opportunities for birds and bats. |
|-------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|

|                                     |                                                                                             |                                                                                                                                                                                                                                                     |                                                                                         |
|-------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Boundary feature.<br>Target Note 2. |  Photo 7  | Western boundary. Boundary marked by low wire mesh fence and introduced shrub extends into margin of adjacent car-park. Species present include cherry laurel and common privet. Some ivy and bramble is present (Photo 7). See also Target Note 2. | Low ecological value, but may support nesting birds and provide foraging opportunities. |
| Flowerbed.<br>Target note 1.        |  Photo 8 | Small, neglected flowerbed containing annual and perennial species, native and introduced, with species including feverfew, Calendula, hebe and purple toadflax.<br>Photo 8. Target note 1.                                                         | Low ecological value due to limited extent.                                             |

**Table 6: Phase 1 Habitats and Assessment**

### 4.3 Fauna

- 4.12 The time of year at which the survey is undertaken will affect species or field signs directly recorded during the survey.

#### **Birds**

- 4.13 The following bird species were recorded on site during the survey: wood-pigeon and magpie. Disused bird feeders were present in the garden (Target Note 3).

#### **Mammals**

- 4.14 No evidence of any mammal species was recorded from the proposed area of works.

### 4.4 Invasive Plant Species

- 4.15 No species were noted that are included within Schedule 9 of the WCA act (1981). However, the time of year that the survey was undertaken may mean that some perennial species were less likely to be detected, in particular three-cornered leek *Allium triquetrum* and Montbretia *Crocasmia x crocosmiiflora*. Species that are considered invasive but commonly found in amenity and garden planting schemes, present within the site include garden privet and cherry laurel.

Butterfly-bush *Buddleja davidii* is becoming established in cracks in paving close to buildings.

## 5 PRELIMINARY BAT ROOST ASSESSMENT

### 5.1 Survey Constraints and Limitations

5.2 The exterior and interior assessments were undertaken on 10<sup>th</sup> October 2024.

**Exterior:** Preceding weather had been mild but with rain, so any external indications of bats (e.g. droppings, feeding remains) may have been flushed away.

The buildings comprised three main buildings and one wooden outhouse, and were all untenanted at the time of survey. For the purpose of this report they are identified and marked on the site plan and roof plan as B1 (main building), B2 (reception building), B3 (extension) and B4 (outhouse).

A roof plan and locations of features with bat suitability is provided in Appendix B figure 1.

### 5.2 Exterior

The locations of features with bat potential are indicated on the roof plan Appendix B, Figure 1. Photographs are provided in Appendix B.

**B1 main building:** Brick-built and painted chalet bungalow with tiled, gabled porch to the front (south-east), Photo 3. Single-storey flat-roofed (bitumen-felted) kitchen extension to the rear with attached open lean-to (Photo 4). The building and roof is in overall good condition, but with some unevenness to the roof tiles at the southern and western ends of the building. The south-western gable end has hanging tiles with one tile missing. Therefore, this building is considered to have **low bat potential** (Appendix B, Figure 1 and Photo 2, features F1 and F2).

**B2 reception building:** Single storey brick-built and painted building with tiled gable and valley roof. Brickwork in apparent good condition. Flat-roofed extension to the front, Appendix B, Photo 5. Flat, bitumen-roofed extension to the rear.

The north-west facing gable end at the junction with B3 extension has uneven hanging tiles and uneven roof tiles on the slope. There is also apparent repair and replacement to the ridge tiles, see Appendix B, Photo 7, feature F3. Therefore, this building is considered to have **low bat potential**.

**B3 extension:** Brick-built and painted single storied building, with tiled cross-hipped roof. Small tiled canopy overhangs rear entrance. Building in good condition, the roof being undamaged and free of gaps (Appendix B, Photos 1 and 2). Therefore, this building is considered to have **negligible bat potential**.

**B4 outhouse:** Detached timber outhouse with lightly-gabled, bitumen-felted roof, with an open lean-to shelter attached (Appendix B, Photos 7 and 8). Therefore, this building is considered to have **negligible bat potential**.

### 5.3 Interior

#### 5.4

**B1 main building:** Viewed through loft hatch. Small narrow space at apex of building with central chimney in apparent good condition. Bitumen lining to tiles. Space densely insulated with roll fibre, dusty, cobwebby, unswept, odour free, and with no light 'bleeding in'. No evidence of bats located (Appendix B, Photo 9). Therefore, this building is considered to have **negligible bat potential**.

**B2 reception building:** Viewed through loft hatch. Thick roll insulation between rafters, bitumen lining to tiles, dusty and with cobwebs. The timbers showed some signs of water ingress. No light 'bleeding in' from outside (Appendix B, Photo 11). Therefore, this building is considered to have **low bat potential**.

**B3 extension:** Low, narrow space. Thick roll insulation between rafters, bitumen lining to tiles. Space clean, dry, and odour free throughout. No light 'bleeding in' externally (Appendix B, Photo 10). Therefore, this building is considered to have **negligible bat potential**.

**B4 outhouse:** Unlined, had been used for storage with chest freezers and shelving. No evidence to suggest the presence of bats. The door was unlocked and open. (Appendix B, Photos 7 and 8). Therefore this building is considered to have **negligible bat potential**.

## 6 EVALUATION and CONCLUSIONS

### 6.1 Habitats

The areas of hardstanding, gravel, amenity grassland, introduced shrub, overgrown conifer hedge and trees that may be impacted by the proposals are considered to be of **negligible** ecological value, but with the **low potential for bats to roost in the B1 main and B2 reception buildings**.

### 6.2 Statutory Sites

The site is not adjacent to nor does it have any connectivity with statutory sites, but it does lie within the Zone of Influence for recreational impacts on one or more European sites and the catchment of a European site (Habitats) vulnerable to nutrient impacts. However, it is considered that there is **low potential for impacts** given the scale and nature of the development.

### 6.3 Non-statutory Habitats and Sites

The site is neither close to, nor directly connected to, any non-statutory conservation sites, Priority habitats or other habitats of principle importance. Given the scale and nature of the proposed development **no impacts are anticipated**.

### 6.4 Species

#### 6.5 Fauna excluding birds and bats

Records were sparse for fauna excluding birds and bats. With the exception of slow-worm (260 m ESE) there are no records for fauna within 600 m of the site, and none for badger within a kilometre. The site does not possess features to attract or shelter notable or protected species, nor connectivity with significant suitable habitats. Stag beetle dominated the invertebrate records for the study area, but the site does not possess the deadwood resource needed to support this species. **No impacts on notable or protected fauna (with the exception of birds and bats) are**

**anticipated in the absence of mitigation or controls, and no further surveys necessary.**

## **Bats**

- 6.6 **Commuting and foraging.** Fourteen bat species have potentially been recorded within a 2 km radius of the site. The less common species such as Bechsteins and natterers bats were recorded at some distance to the north, where there is more suitable habitat for them (woodland, farmland, open countryside etc.). The most commonly recorded bats, common and Soprano pipistrelles, are more generalist, with the closest and most recent records being south of the site. The site is limited in extent, located within an urban setting, and has poor connectivity with other suitable habitat, although there is an isolated area of deciduous woodland 30 m to the south. Therefore, it is considered that there is a **low risk of impacts on foraging and commuting bats in the absence of controls.**

### **Roosting bats.**

Building 4 (outhouse) has negligible bat potential.

Building 3 (extension) has negligible bat potential, having narrow, sealed loft space and no apparent external features.

The two additional buildings (Buildings 1 and 2) have small loft spaces but external features that suggest they may have the potential to shelter bats, in particular those crevice-roosting bat species such as common and Soprano pipistrelles.

Building 1 (main building) **Low bat potential** due to limited external features.

Building 2 (reception building) **Low bat potential** due to limited external features and limited internal inspection.

**Therefore, there is a high risk of impact on roosting bats in the absence of mitigation and controls. Further surveys are necessary, with mitigation dependant on results to ensure any works proceed lawfully.**

Preliminary Ecological Appraisal including Preliminary Bat Roost Assessment

5.5 In Britain all bat species and their roosts are legally protected, by both domestic and international legislation. This means you may be committing a criminal offence if you:

- Deliberately take, injure or kill a wild bat;
- Intentionally or recklessly disturb a bat in its roost or deliberately disturb a group of bats;
- Damage or destroy a place used by bats for breeding or resting (roosts) (even if bats are not occupying the roost at the time);
- Possess or advertise/sell/exchange a bat of a species found in the wild in the EU (dead or alive) or any part of a bat; and/or
- Intentionally or recklessly obstruct access to a bat roost.

### **Birds**

5.6 Those species with the potential to be impacted by any development are those that may opportunistically nest or forage within trees, conifer hedges and introduced shrub.

**Therefore, there is a risk of impact on nesting birds in the absence of controls.**

5.7 Nesting birds and their nests are protected under the Wildlife and Countryside Act 1981 (as amended).

### **Invasive species**

5.7 Those plant species identified as being present within the site are those commonly found in gardens and amenity planting schemes. Butterfly-bush has established on-site in cracks and gaps in paving and seeds prolifically.

Whilst no WCA schedule 9 species were found within the site, it is possible that perennials may have been dormant, in particular three-cornered leek and Montbretia, which have both been recorded nearby. **Therefore, it is considered that there is a moderate risk of impacts in the absence of controls.**

## 7 RECOMMENDATIONS

### Designated Sites

- 7.1 Although the site does not form part of any statutory or non-statutory designated nature conservation site, there is the risk of impacts on SSSIs and the European designated sites they encompass. **Further assessment (including Habitat Regulations Assessment with nutrient budget calculation) and consultation with Natural England may be necessary.**

### Trees

- 7.2 Root protection measures should be employed with respect to any retained trees within or adjacent to the site which might be impacted by works. Trees should be protected in accordance with BS5837: 2012 "Trees in Relation to Design, Demolition and Construction – Recommendations" (British Standard 2012).

### Bats

- 7.3 **Roosting:** B1 main building and B2 reception building have external features that may shelter roosting bats and have both been categorised as having **low** bat potential.

**A single emergence survey** (at dusk, between May and August inclusive) should be undertaken to assess whether the buildings are accessed by bats. **Should results be positive, two further surveys will be required** (between May and September inclusive), to characterise the type of roost/s present, and **a Natural England mitigation licence (European Protected Species Mitigation Licence - EPSML) (or potentially a low-impact class licence, LICL) would be required to allow works to proceed lawfully.**

- 7.4 **Commuting and foraging:** There is low potential for bats to cross the site during commuting and foraging activities. If additional external lighting is installed, there are a number of methods which can minimise negative impact on bats from lighting (ILP, 2023), including:

- Minimising the use of external lighting to that required for security purposes;
- Use of timers for security lighting where required;
- Avoiding light spill by using accessories such as shields, louvres, hoods and cowls and careful design/choice of luminaire to be used; and
- Minimising the height of the lighting column.

These controls should be implemented as appropriate and linked to any mitigation measures proposed as part of any new development or refurbishment.

## **Birds**

- 7.5 The trees, shrubs and conifer hedges, present at site margins potentially provide suitable bird foraging and nesting habitat.

Nesting birds and their nests are protected under the Wildlife and Countryside Act 1981 (as amended). Any vegetation clearance or disturbance required as part of the works should be undertaken during the period October to February,, to avoid the bird nesting season. If this is not possible, prior to works commencing on site a check for nesting birds should be undertaken by a suitably experienced ecologist up to no sooner than 48 hours prior to works taking place. If active nests are located, then these will need to be left in situ until the chicks have fledged and the nest is no longer in use to avoid any potential offences relating to nesting birds.

If any nests are found, the nests are to be protected by an exclusion zone around the nest. Works may then proceed up to, but not within, this exclusion zone. Works may be completed once an ecologist has confirmed that the young have fledged the nest. If nesting birds are found at any time during clearance works, work must stop immediately, and an ecologist must be consulted immediately.

## **7.6 Invasive flora**

**Buddleija (butterfly-bush)** is a prolific seeder and has become established into cracks and gaps in paving and brickwork, with the potential to damage buildings and spread into the wild, so should be removed and disposed of appropriately.

**Species listed in WCA Schedule 9 may be present, in particular three-cornered leek and Montbretia. It is an offence to cause these to grow in the wild.** If any groundworks are to take place then it would be advisable to survey for invasive species, and any contaminated soil and plant material managed or treated and/or disposed of appropriately.

### **Other Legally Protected Species**

- 7.7 The proposed development is not anticipated to impact on any other legally protected species, and therefore no further surveys are recommended in respect of these.

### **Ecological Enhancement Opportunities**

- 7.8 Within any proposed design for the site there are opportunities for the project to deliver long-term enhancements for biodiversity. Enhancement measures applicable to a site of this nature include:
- Bird and bat boxes surface mounted onto buildings or trees.
  - Providing insect boxes and designing soft landscaping using plant species known to have benefits for biodiversity (such as plants with nectar-rich flowers and berries to provide a food source for invertebrates and birds).
  - Creating a log pile to support stag beetle.

## 8 LEGISLATION AND POLICY

### 8.1 Introduction

- 8.1.1 An overview of the framework of British legislation and policy which underpins nature conservation and is a material consideration in the planning process in England, with relevance to the proposed development. The reader should refer to the original legislation for the definitive interpretation.

### 8.2 International Statutory Designations

- 8.2.1 **Special Areas of Conservation** (SACs) are designated sites for the protection of European protected species and habitats, in accordance with Council Directive 92/43/EEC on the conservation of natural habitats and of wild flora and fauna (EC Habitats Directive).
- 8.2.2 **Special Protection Areas** (SPAs) protect important bird populations and sites on which they depend, in accordance with Council Directive 79/409/EEC on the conservation of wild birds (EC Birds Directive).
- 8.2.3 **Ramsar** Sites are identified under the Ramsar Convention of Wetlands of International Importance (1971). These sites are protected under the Wildlife and Countryside act 1981 (as amended) and CRoW Act (2000).
- 8.2.4 **The Conservation of Habitats and Species Regulations 2017** implements the Habitats and Birds Directives, provides the basis for the protection of European protected species and informs the national licencing system (EPSML licences) to enable lawful works with the potential to impact on them.

### 8.3 National Statutory Designations

- 8.3.1 **Sites of Special Scientific Interest (SSSIs)** are notified under WCA 1981, and are national conservation sites designated for their floral, faunal or geological features, and are generally considered to be irreplaceable. **Impact Risk Zones (IRZs)** are Natural England's tool to guide the assessment of anticipated impacts on SSSIs by proposed developments, based on activities and proximity to sites.
- 8.3.2 **National Nature Reserves (NNRs)** are statutory reserves established under the WCA 1981, and are important sites for nature conservation.
- 8.3.3 **Local Nature Reserves (LNRs)** are designated under the National Parks and Access to the Countryside Act 1949, and are owned, leased or managed by the local authority.

### 8.4 Non-Statutory Designations

- 8.4.1 **Local Wildlife Sites (LWS)** sites with 'substantive nature conservation value' identified at a local level, ranging from single ponds or road verges to woodlands and grassland, and in public or private ownership. These sites may also be referred to as 'Sites of Importance for Nature Conservation' (SINC), Sites of Nature Conservation Importance (SNCI) or 'County Wildlife Sites' (CWS). Selection criteria is provided in DEFRA (2006) Local Sites Guidance on their Identification, Selection and Management.

### 8.5 National Legislation

- 8.5.1 **Wildlife and Countryside Act (WCA) 1981 (as amended)** provides legal protection for SSSIs, lists of protected species both flora and fauna (Schedules) and details the possible offences that apply to these species. Section 14 refers to invasive non-native species.

8.5.2 **The Countryside and Rights of Way Act (CRoW) 2000** strengthens the protection of SSSIs and protected species, and requires that species and habitats that are included within Biodiversity Action Plans (UK BAP and LBAP) are taken into consideration. The species list in section 74 has been superseded by NERC S41.

8.5.3 **The Natural Environment and Rural Communities (NERC) Act 2006** sets out the responsibilities of Local Authorities in conserving biodiversity. Section 41 lists habitats and species of principle importance.

## 8.6 National Planning Policy Framework

8.6.1 **The National Planning Policy Framework (NPPF)** was revised on 19<sup>th</sup> December 2023, replacing previous iterations. The NPPF sets out the Government's planning policies for England and how these are expected to be applied. The emphasis is on sustainable development, meeting economic, social and environmental objectives. Section 15 'Conserving and Enhancing the Natural Environment' sets out the expectations regarding integrated provision for biodiversity. These include 'Habitats and Biodiversity 186: When determining planning applications, local planning authorities should apply principles including:

A) If significant harm to biodiversity resulting from a development cannot be avoided (through locating on an alternative site with less harmful impacts), adequately mitigated, or, as a last resort, compensated for, then planning permission should be refused.

### 7.6.2 National Planning Practice Guidance

In support of the NPPF, The Department for Levelling Up, Housing and Communities with the Ministry of Housing, Communities and Local Government produced the National Planning Practice Guidance (NPPG), available online at <https://www.gov.uk/guidance/natural-environment>. This includes a section entitled 'Natural Environment: Biodiversity, ecosystems and green infrastructure' which sets out information with respect to the following: **the statutory basis for minimising impacts on biodiversity and providing net gains** where possible; the local planning authority's requirements for planning for biodiversity; what local ecological networks are and how to identify and map them; the sources of ecological evidence;

the legal obligations on local planning authorities and developers regarding statutory designated sites and protected species; the considerations for local (non-statutory) designated sites; definition of green infrastructure; where biodiversity should be taken into account in preparing a planning application; how development can enhance biodiversity; how policy is applied to avoid, mitigate or compensate for significant harm to biodiversity and how mitigation and compensation measures can be ensured.

## 8.7 Biodiversity Net Gain

8.7.1 Biodiversity Net Gain became mandatory from 12<sup>th</sup> February 2024 under Schedule 7A of the Town and Country Planning Act 1990. This requires that “subject to some exceptions, every grant of planning permission is deemed to have been granted subject to the condition that the biodiversity gain is met (“the biodiversity gain condition”). The objective is for development to deliver at least a 10% increase in biodiversity value relative to the pre-development value of the onsite habitat”.

Further guidance is available online:

<https://www.gov.uk/government/collections/biodiversity-net-gain>.

“Where an applicant believes the development would be subject to the biodiversity gain condition, the application must be accompanied by the minimum information set out in Article 7 of the Town and Country Planning (Development Management Procedure) (England) Order 2015”.

## 7.8 The Local Plan

8.7.2 The current plan guiding development within the borough of Havant is the Local Plan (Core Strategy) 2011, supplemented by the Local Plan (Allocations) adopted in 2014.

7.8.2 **Policy CS11 Protecting and Enhancing the Special Environment and Heritage of Havant Borough** and **DM8 Conservation, Protection and Enhancement of Existing Natural Features** have relevance to the proposed development.

## 8.9 Other Legislation

- 8.9.1 **The Protection of Badgers Act (1992)** legally protects badgers and their setts. It is illegal to: wilfully capture, injure or kill a wild badger, be in possession of a live or dead badger, destroy, damage or obstruct access to an active badger sett, and / or disturb a badger while it is occupying a sett.
- 8.9.2 **Wild Mammals (Protection) Act (1996)** means that it is an offence to mutilate, kick, beat, nail or otherwise impale, stab, burn, stone, crush, drown, drag or asphyxiate any wild mammal with intent to inflict unnecessary suffering.

## 9 REFERENCES

**HBIC** (2024) *Ecological Data Search: 54, Stockheath road, Havant PO9 5HQ ref 12926*. Hampshire Biodiversity Information Centre, Winchester.

**ILP** (2023) *Guidance note 08/23 Bats and artificial lighting at night*. Bat Conservation Trust. London.

**JNCC** (2010) *Handbook for Phase 1 Habitat Survey – a Technique for Environmental Audit*. Joint Nature Conservation Committee, Peterborough.

**MAGIC** (2024) *Magic Map* <https://magic.defra.gov.uk/MagicMap.aspx> [Accessed 25/09/2024-22/10/2024].

**Natural England** (2024) *Impact risk zones for Sites of Special Scientific Interest Statutory advice*.  
[https://irz.geodata.org.uk/IRZ/step3.php?irzcode=0321055432040&notes=11101+11401&location=471974,107742%20\(IRZ%20polygon%20centre\)](https://irz.geodata.org.uk/IRZ/step3.php?irzcode=0321055432040&notes=11101+11401&location=471974,107742%20(IRZ%20polygon%20centre)) [Accessed 02/11/2024].

**PTES** (2024) The Great Stag Hunt Log Pile Map <https://stagbeetles.ptes.org/#log-pile-map> [Accessed 22/10/2024].

**Stace, C.** (2019) *New Flora of the British Isles*. 4th ed. CUP, Cambridge.

**Wilson, P** (2021) *Criteria for the selection of Sites of Importance for Nature Conservation (SINCs) in Hampshire*. HBIC, Hants.

### **Bibliography**

CIEEM (2017) *Guidelines for Preliminary Ecological Appraisal*, 2nd ed. Chartered Institute of Ecology and Environmental Management, Winchester.

Collins, J. (ed) (2023) *Bat Surveys for Professional Ecologists: Good Practice Guidelines* (4th ed), The Bat Conservation Trust, London.

54 Stockheath Road,  
Hampshire PO9 5HQ  
MAC Construction Consultants Ltd.

**TSA ECOLOGY**

Preliminary Ecological Appraisal including Preliminary Bat Roost Assessment

Department for Levelling up, Housing and Communities (2023) *National Planning Policy Framework*. Crown Copyright, London.

## APPENDIX A




Figure 1: Phase 1 Habitat Map

Preliminary Ecological Appraisal including Preliminary Bat Roost Assessment

| Species                                                                                                                                             | Scientific name              | Abundance (DAFOR*) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--------------------|
| Buddleja                                                                                                                                            | <i>Buddleja davidii</i>      | R                  |
| Red valerian                                                                                                                                        | <i>Centranthus ruber</i>     | R                  |
| Hawthorn                                                                                                                                            | <i>Crataegus monogyna</i>    | R (single sapling) |
| Canadian fleabane                                                                                                                                   | <i>Coryza canadensis</i>     | O                  |
| Willowherb sp.                                                                                                                                      | <i>Epilobium sp.</i>         | O                  |
| Wood avens                                                                                                                                          | <i>Geum urbanum</i>          | R                  |
| Ivy                                                                                                                                                 | <i>Hedera helix</i>          | R                  |
| Hydrangea                                                                                                                                           | <i>Hydrangea macrophylla</i> | R                  |
| Perforate st Johns wort                                                                                                                             | <i>Hypericum perforatum</i>  | R                  |
| Purple toadflax                                                                                                                                     | <i>Linaria purpurea</i>      | O                  |
| Dandelion                                                                                                                                           | <i>Taraxacum sp.</i>         | O                  |
| Dock                                                                                                                                                | <i>Rumex sp.</i>             | R                  |
| Yorkshire fog                                                                                                                                       | <i>Holcus lanatus</i>        | R                  |
| Ox-eye daisy                                                                                                                                        | <i>Leucanthemum vulgare</i>  | O                  |
| Common toadflax                                                                                                                                     | <i>Linaria vulgaris</i>      | R                  |
| Privet                                                                                                                                              | <i>Ligustrum sp.</i>         | R                  |
| Honeysuckle                                                                                                                                         | <i>Lonicera periclymenum</i> | R                  |
| Yarrow                                                                                                                                              | <i>Achillea millefolium</i>  | R                  |
| Creeping cinquefoil                                                                                                                                 | <i>Potentilla reptans</i>    | O                  |
| Lungwort                                                                                                                                            | <i>Pulmonaria sp.</i>        | O                  |
| Bristly ox-tongue                                                                                                                                   | <i>Picris echioides</i>      | R                  |
| Ribwort plantain                                                                                                                                    | <i>Plantago lanceolata</i>   | R                  |
| Greater plantain                                                                                                                                    | <i>Plantago major</i>        | R                  |
| Meadowgrass                                                                                                                                         | <i>Poa sp.</i>               | O                  |
| Selfheal                                                                                                                                            | <i>Prunella vulgaris</i>     | R                  |
| Cherry                                                                                                                                              | <i>Prunus sp.</i>            | R                  |
| Cherry Laurel                                                                                                                                       | <i>Prunus lauroceracus</i>   | R                  |
| Cultivated pear (conference)                                                                                                                        | <i>Pyrus communis</i>        | R                  |
| Oak                                                                                                                                                 | <i>Quercus sp.</i>           | R                  |
| Bramble                                                                                                                                             | <i>Rubus fruticosus agg.</i> | R                  |
| Elder                                                                                                                                               | <i>Sambucus nigra</i>        | R                  |
| Dock                                                                                                                                                | <i>Rumex sp.</i>             | R                  |
| Soapwort                                                                                                                                            | <i>Saponaria officinalis</i> | R                  |
| Common Ragwort                                                                                                                                      | <i>Senecio jacobaea</i>      | R                  |
| Snowberry                                                                                                                                           | <i>Symphoricarpos albus</i>  | R                  |
| Feverfew                                                                                                                                            | <i>Tanacetum parthenium</i>  | R                  |
| White clover                                                                                                                                        | <i>Trifolium repens</i>      | O                  |
| Nettle                                                                                                                                              | <i>Urtica dioica</i>         | R                  |
| Ash                                                                                                                                                 | <i>Fraxinus excelsior</i>    | R                  |
| DAFOR: Relative abundance within the site.<br>D=Dominant, A= Abundant, F= Frequent, O= Occasional, R= Rare. Local A= Abundant in localized patches. |                              |                    |

**Table 1: Flora Recorded during Phase 1 Habitat Survey**

## APPENDIX B

| <b>Guidelines for assessing the potential suitability of proposed development sites for bats, based on the presence of habitat features within the landscape, to be applied using professional judgement.</b><br>Collins, J. (ed.) (2023) <i>Bat Surveys for professional Ecologists: Good Practice Guidelines (4<sup>th</sup> ed.)</i> The Bat Conservation Trust, London.                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitability</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Roosting habitats</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Commuting and foraging habitats</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>None</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | No habitat features on site likely to be used by any roosting bats at any time of year (ie. A complete absence of crevices/suitable shelter at all ground/underground levels).                                                                                                                                                                                                                                                                                                                                       | No habitat features on site likely to be used by any commuting or foraging bats at any time of year (ie. No habitats that provide continuous lines of shade/protection for flight lines, or generate/shelter insect populations available to foraging bats).                                                                                                                                                                                                                              |
| <b>Negligible<sup>a</sup></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | No obvious habitat features on site likely to be used by roosting bats; however a small amount of uncertainty remains as bats can use small and apparently unsuitable features on occasion.                                                                                                                                                                                                                                                                                                                          | No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however, a small amount of uncertainty remains in order to account for non-standard bat behaviour.                                                                                                                                                                                                                                                                                             |
| <b>Low</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | A structure with one or more potential roost sites that could be used by individual bats opportunistically at any time of year. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions <sup>b</sup> and/or suitable surrounding habitat to be used on a regular basis or by large numbers of bats (ie. unlikely to be suitable for maternity and not a classic cool/stable hibernation site, but could be used by individual hibernating bats <sup>c</sup> ). | Habitat that could be used by small numbers of bats as flight paths such as gappy hedgerows or unvegetated stream, but isolated, ie. not very well connected to the surrounding landscape by other habitat.<br><br>Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.                                                                                                             |
| <b>Moderate</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions <sup>b</sup> and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only, such as maternity and hibernation - the categorisation in this table is made irrespective of species conservation status, which is established after presence is confirmed).                                                                     | Continuous habitat connected to the wider landscape that could be used by bats for flight - paths such as lines of trees and scrub or linked back gardens.<br><br>Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.                                                                                                                                                                                      |
| <b>High</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions <sup>b</sup> and surrounding habitat. These structures have the potential to support high conservation status roosts, eg. Maternity or classic cool/stable hibernation site.                                                                                                  | Continuous, high quality habitat that is well connected to the wider landscape that is likely to be used regularly by bats for flight-paths such as river valleys, streams, hedgerows, lines of trees and woodland edge.<br><br>High quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland.<br><br>Site is close to and connected to known roosts. |
| a Negligible is defined as 'so small or unimportant as to be not worth considering, insignificant'. This category may be used where there are places that a bat could roost or forage (due to one attribute) but it is unlikely that they actually would (due to another attribute).<br>b For example, in terms of temperature, humidity, height above ground level, light levels or disturbance.<br>c .."Mass swarming events of Common pipistrelle bats in the autumn followed by mass hibernation in a diverse range of building types in urban environments".. "Ecologists should be aware of the potential for larger numbers of this species to be present during the autumn and winter in prominent buildings in the landscape, urban or otherwise." |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |




**Figure 1: Roof plan and locations of features with bat suitability**

## APPENDIX B



**Photo 1: Building 3, extension. North-facing elevation**



**Photo 2: Building 3, extension. South-facing elevation**



**Photo 3: B1, main building. South-east facing elevation**



**Photo 4: B1, main building. North-west**



**Photo 5: B2, reception building. South-east**



**Photo 6: B2, reception building**



**Photo 7: B4, outhouse exterior**



**Photo 8: B4, outhouse interior**




**Photo 9: B1, main building loft space**




**Photo 10: B3, extension loft space**




**Photo 11: B2, reception building loft space**