



Notes

- | Location: | Cover to Soffit: | | Pipe Bedding: |
|----------------------------|------------------|----------|---------------|
| | Clay / Conc | Flexible | |
| Roads. | >1.2m | >0.9m | Class S |
| | <1.2m | <0.9m | Class Z |
| Hard and Soft Landscaping. | >0.6m | | Class S |
| | <0.6m | | Class Z |

- | | |
|--|----------------|
| Location: | Mix Reference: |
| Concrete Surround to Pipes | ST4 |
| Concrete Base and Surround to Manholes | ST4 |

- | Pipe Diameter: | Length of Rocker Pipe: |
|----------------|------------------------|
| 150mm - 600mm | 600mm |
| 675mm - 750mm | 1000mm |
| 825mm & Over | 1250mm |

- | | | | | |
|------|------------|---|------|------|
| PC06 | 08/05/2025 | Initial layout added to drawing | C.S. | C.S. |
| PC07 | 01/04/2025 | Specified to Mils S25 & S26 made | C.S. | C.S. |
| PC08 | 05/03/2025 | Updated to suit surveyed levels of 'EX MH31'. Spec of downstream defender updated | C.S. | C.S. |
| PC09 | 27/02/2025 | Updated to suit as built levels of attenuation tank | C.S. | C.S. |
| PC10 | 03/02/2025 | Mills shifted to suit service yard joint arrangements. | C.S. | C.S. |
| PC13 | 31/01/2025 | CAD error amended. | C.S. | G.L. |
| PC12 | 31/01/2025 | Updated to suit DTM comments | C.S. | G.L. |
| PC01 | 17/01/2024 | Drawing status updated to 'Preliminary For Construction'. | C.S. | C.S. |
| T05 | 17/10/2024 | Drainage revised to suit LLFA comments | A.B. | A.B. |
| T04 | 04/04/2024 | Updated in response to PRG comments | L.M | M.R. |
| T03 | 28/03/2024 | Updated To Suit Latest Site Layout | J.T. | A.B. |
| P03 | 20/03/2024 | Updated To Suit Latest Site Layout | R.B. | A.B. |
| T02 | 28/03/2024 | Updated To Suit Latest Site Layout | R.B. | A.B. |
| N1 | 23/02/2024 | Tender Issue | R.B. | A.B. |
| P02 | 05/12/2023 | Planning Issue | R.B. | A.B. |
| N1 | 17/11/2023 | For Information | R.B. | A.B. |
| Rev | Date | Description | By | Chkd |

Revision Schedule

Drawing Status

Preliminary For Construction

Project Title

**Langstone Technology Park
Phase 2
Havant**

[illegible]

Proposed Drainage Plan

[illegible]

Drawing Number	Revision
13508 121	PC08

BM Ref 13508	Scale @ A1 1 : 500	Drawn by R B	Checked by A B	Project Eng G I
-----------------	-----------------------	-----------------	-------------------	--------------------

BAYNHAM 0121 434 4100

MEIKLE
Consulting Civil & Structural Engineers

admin@baynhammeikle.co.uk
www.baynhammeikle.co.uk