



Key

Bituminous Surfacing

Contrasting Surfacing

Ramp

Bituminous Footway

Potential Future Pedestrian + Cycle Link

Vehicle Crossover

Notes:

1. Ramps of raised plateaus to be 1.3m wide with a 1:17 gradient and a 75mm level change

D	31.01.2025	PLAN UPDATED TO SUIT HCC COMMENTS	JWG	SPB	AJW
C	06.02.2023	UPDATED TO SUIT CLIENT COMMENTS	MR	AJW	AJW
B	01.02.2024	UPDATED TO SUIT HCC COMMENTS	AC	TMR	AJW
A	03.01.2024	INITIAL ISSUE	AC	AJW	AJW
REV	DATE	DESCRIPTION	BY	CHK	APD

CLIENT:

PLACES FOR PEOPLE

DRAWING STATUS:

FOR INFORMATION ONLY

PROJECT:

SOUTH DOWNS COLLEGE

TITLE:

PRELIMINARY SURFACING PLAN

PROJECT No:

1017

DRAWING No:

01-PHL-1005

REV:

D

SCALE @ A2:

0 1:500 25 metres

DESIGN BY:

awp

awcockward partnership

Awcock Ward Partnership, Ada House, Pynes Hill, Exeter, EX2 5TU

Tel: 01392 409007 Web: www.awpexeter.com