

Main Address

GWS Window Systems
65 Beach Road
Hayling Island
Hants
PO11 0JD

Delivery Address

GWS Window Systems
Collection

QUOTE CONFIRMATION

Quote No: 25QW64955


Customer Ref: Sam Wilson

Customer Tel: 023 9246 8842

Contact Email: gwswindows83@gmail.com

Frame No: 1 Qty: 1

Location: Window 1



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 2 Qty: 1

Location: Window 2



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 900 ☐

Actual Frame Size:

1100 x 870 ☐

Group: SYS10 Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Casement Handles: Inline Handle Wht
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 489 x 788 4/20/4 Obscure / Ecopane Blk Swiss Pattern T
o Be Confirmed (Colour/White Auth Duplex Ge
o Grill)
Pane: A2 397 x 696 4/20/4 Obscure / Ecopane Blk Swiss Pattern T
o Be Confirmed (Colour/White Auth Duplex Ge
o Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 3 Qty: 1

Location: Window 3



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 4 Qty: 1

Location: Window 4



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 5 Qty: 1

Location: Window 5



1100 x 900

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 900 ☐

Actual Frame Size:

1100 x 870 ☐

Group: SYS10 Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Casement Handles: Inline Handle Wht
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 489 x 788 4/20/4 Obscure / Ecopane Blk Swiss Pattern T
o Be Confirmed (Colour/White Auth Duplex Ge
o Grill)
Pane: A2 397 x 696 4/20/4 Obscure / Ecopane Blk Swiss Pattern T
o Be Confirmed (Colour/White Auth Duplex Ge
o Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 6 Qty: 1

Location: 1



1100 x 1200

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 7 Qty: 1

Location: 2



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 8 Qty: 1

Location: 3



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 9 Qty: 1

Location: 4



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1700 x 2100 ☐

Actual Frame Size:

1700 x 2070 ☐

Group: SYS10 Open Out French

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: @15Woodgrain Rule Door
Door Handles: Lever/Lever Black x2
Door Hinges: Evolution Hinge Black
Door Locks: Kubu French Door Lock
Cylinder: Platinum 3* TTurn Cylinder 50/50 Nickel KAl like pr
Drainage: Concealed
Bead: Ovalo Bead White 28mm
Low Threshold: L/Thresh 44mm SILVER SYS10

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)
Pane: A2 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)

☐
☐

Additional Frame Details


Extras: 2 90 DOOR RESTRICTOR STAY ARM
WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 10 Qty: 1

Location: Side



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

850 x 1100 ☐

Actual Frame Size:

850 x 1070 ☐

Group: SYS10 Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Casement Handles: Inline Handle Wht
Casement Hinges: Standard Hinges
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 676 x 896 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐


Additional Frame Details

WER Certificate: WER 'A' CERTIFICATE NO.5540
DOES NOT COMPLY TO FIRE REGS

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 11 Qty: 1

Location: 1



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 12 Qty: 1

Location: 2



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 13 Qty: 1

Location: 3



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 14 Qty: 1

Location: 4



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing


Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH


Frame No: 15 **Qty: 1****Location: 5**Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing**Dimensions****Overall Size:**1100 x 1200 ☐**Actual Frame Size:**1100 x 1170 ☐**Group: SYS10 French Casement INT****Tick OK**Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm☐
☐
☐
☐
☐
☐
☐**Glazing**Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/White Auth Duplex Geo Grill) ☐
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/White Auth Duplex Geo Grill) ☐**Additional Frame Details**

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH**Frame No: 16** **Qty: 1****Location: 1**Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing**Dimensions****Overall Size:**1700 x 2100 ☐**Actual Frame Size:**1700 x 2070 ☐**Group: SYS10 Open Out French****Tick OK**Cill: ReCore Cill 150mm [Not to be u
Reinforcement: @15Woodgrain Rule Door
Door Handles: Lever/Lever Black x2
Door Hinges: Evolution Hinge Black
Door Locks: Kubu French Door Lock
Cylinder: Platinum 3* TTurn Cylinder 50/50 Nickel KAl like pr
Drainage: Concealed
Bead: Ovalo Bead White 28mm
Low Threshold: L/Thresh 44mm SILVER SYS10☐
☐
☐
☐
☐
☐
☐
☐**Glazing**Pane: A1 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swiss (Colour/White Auth Duplex Geo Grill) ☐
Pane: A2 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swiss (Colour/White Auth Duplex Geo Grill) ☐**Additional Frame Details**Extras: 2 90 DOOR RESTRICTOR STAY ARM ☐
WER Certificate: WER 'B' CERTIFICATE NO.D1577**Frame Finish: Beck Brown WHITE SMOOTH**

Frame No: 17 Qty: 1

Location: 2



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1700 x 2100 ☐

Actual Frame Size:

1700 x 2070 ☐

Group: SYS10 Open Out French

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: @15Woodgrain Rule Door
Door Handles: Lever/Lever Black x2
Door Hinges: Evolution Hinge Black
Door Locks: Kubu French Door Lock
Cylinder: Platinum 3* TTurn Cylinder 50/50 Nickel KAl like pr
Drainage: Concealed
Bead: Ovalo Bead White 28mm
Low Threshold: L/Thresh 44mm SILVER SYS10

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)
Pane: A2 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)

☐
☐

Additional Frame Details


Extras: 2 90 DOOR RESTRICTOR STAY ARM
WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 18 Qty: 1

Location: 3



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1700 x 2100 ☐

Actual Frame Size:

1700 x 2070 ☐

Group: SYS10 Open Out French

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: @15Woodgrain Rule Door
Door Handles: Lever/Lever Black x2
Door Hinges: Evolution Hinge Black
Door Locks: Kubu French Door Lock
Cylinder: Platinum 3* TTurn Cylinder 50/50 Nickel KAl like pr
Drainage: Concealed
Bead: Ovalo Bead White 28mm
Low Threshold: L/Thresh 44mm SILVER SYS10

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)
Pane: A2 614 x 1822 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour/White Auth Duplex Geo Grill)

☐
☐

Additional Frame Details


Extras: 2 90 DOOR RESTRICTOR STAY ARM
WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 19 Qty: 1

Location: 4



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐


Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH

Frame No: 20 Qty: 1

Location: 5



Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1100 x 1200 ☐

Actual Frame Size:

1100 x 1170 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: ReCore Cill 150mm [Not to be u
Reinforcement: Woodgrain Rule
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)
Pane: A2 400 x 996 4/20/4 Clear / Ecopane Blk Swiss (Colour/Whit
e Auth Duplex Geo Grill)

☐
☐

Additional Frame Details

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: Beck Brown WHITE SMOOTH