

MTIP MID TERM
IMPROVEMENT PLAN

MTIP-2 1	Insulate the Solid Floor	- 4.5mm Acousticork T66 Underlay & feathered screed
-------------	-----------------------------	---

RM RENEWABLE
MEASURES TO NET
ZERO

RM-30	Renewable Ready Measures	<div>- Install insulated ducting for cabling and pipework; flow and return</div> <div>- Separate spur from the fuse board to be supplied to proposed ASHP location</div> <div>- Existing roof structure to be inspected by suitably qualified professional to determine its capacity for the weight of future PV</div>
-------	-----------------------------	--

PROPOSED

A3

Scales

Constructive Thinking Studio
Liverpool Science Park IC 1
131 Mount Pleasant
L3 5TF

www.constructivethinking.co.uk
+44 (0) 151 705 5433
bim@constructivethinking.co.uk

Safety Health and Environmental
Information

In addition to the hazard/risks normally associated with the types of work detailed on this drawing take note of the below. It is assumed that all works on this drawing will be carried out by a competent contractor working, where appropriate, to an appropriate method statement.

This document and its design content is copyright ©. It shall be read in conjunction with all other associated project information including models, specifications, schedules and related consultants documents. Do not scale from documents. All dimensions to be checked on site. Immediately report any discrepancies, errors or omissions on this document to the Originator. If in doubt ASK.

CONSTRUCTIVE
THINKING

Demolition/Adapation Risks

<complete within project info-building details>

Construction Risks

<complete within project info-building details>

Maintenance/Cleaning Risks

<complete within project info-building details>

Revision	Date	By	Check
	21/03/2025	FN	LFS

Client **TGP**

Project **TGP - Portsmouth**

Status **Stage Approval Subject to Building Control - A1 - LFS**

Drawings

File 31 Pyle Close_(AC28)

Measures II

31 Pyle Close

Drawing Number

7083 -CTS- 02 - 31 - L-A-4417

Revision

P06