

WINDOW WAREHOUSE

QUOTE CONFIRMATION

Quote No: [REDACTED]


Customer Ref: Dom

Main Address
Fletch & Sons Ltd
532 Southleigh Road
Emsworth
Hants
PO10 7TE

Delivery Address
Fletch & Sons Ltd
COLLECTION

Frame No:1 Qty: 1

Location: Master Bed



890 x 1000

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

890 x 1000 ☐

Actual Frame Size:

890 x 970 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 295 x 796 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 295 x 796 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


☐

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

Frame No:2 Qty: 1

Location: Ensuite



880 x 1115

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

880 x 1115 ☐

Actual Frame Size:

880 x 1085 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 290 x 911 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte
Pane: A2 290 x 911 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


☐

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

Frame No:3 Qty: 1

Location: Ensuite



900 x 1000

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1000 ☐

Actual Frame Size:

900 x 970 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 796 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte
Pane: A2 300 x 796 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:4 Qty: 1

Location: Study



890 x 2060

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

890 x 2060 ☐

Actual Frame Size:

890 x 2030 ☐

Group: SYS10 Open In Resi

Tick OK

Cill: Cill 150mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever White
Door Hinges: Evolution Hinge White
Door Locks: Kubu Resi Door Lock
Cylinder: 50/45 NICKEL ORION 3-STAR D/CY
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 614 x 1770 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s

☐

Additional Frame Details

Extender: Weather Bar White Foil 0mm Top
Extras: 1 Weather Bar Labour
Extras: 1 Weather Bar End Cap Wht Sprayed [White Foil]


☐
☐
☐

WER Certificate: WER 'B' CERTIFICATE NO.D1036

Frame Finish: White Foil

Frame No:5 Qty: 1

Location: Study



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

890 x 2060 ☐

Actual Frame Size:

890 x 2030 ☐

Group: SYS10 Open In Resi

Tick OK

Cill: Cill 150mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever White
Door Hinges: Evolution Hinge White
Door Locks: Kubu Resi Door Lock
Cylinder: 50/45 NICKEL ORION 3-STAR D/CY
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 614 x 1770 4/20/4 Clear Tough / Ecopane Tough Blk Swis
S

☐

Additional Frame Details


Extender: Weather Bar White Foil 0mm Top
Extras: 1 Weather Bar Labour
Extras: 1 Weather Bar End Cap Wht Sprayed [White Foil]
WER Certificate: WER 'B' CERTIFICATE NO.D1036

☐
☐
☐

Frame Finish: White Foil

Frame No:6 Qty: 1

Location:Spare Bed



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1150 ☐

Actual Frame Size:

900 x 1120 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 946 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 300 x 946 4/20/4 Clear / Ecopane Blk Swiss


☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2
WER Certificate: WER 'B' CERTIFICATE NO.D1577


☐

Frame Finish: White Foil



Frame No:7 Qty: 1

Location: Landing



900 x 1045

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
900 x 1045 ☐

Actual Frame Size:
900 x 1015 ☐

Group: SYS10 French Casement INT Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 841 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 300 x 841 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details


Night Vent: 2 x Night Vent 2000mm2
WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:8 Qty: 1

Location: Lounge



1940 x 2070

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
1940 x 2070 ☐

Actual Frame Size:
1940 x 2040 ☐

Group: SYS10 Open In French Tick OK

Cill: Cill 150mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever White x 2
Door Hinges: Evolution Hinge White
Door Locks: Kubu French Door Lock
Cylinder: 50/45 NICKEL ORION 3-STAR D/C\
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 734 x 1780 4/20/4 Clear Tough / Ecopane Tough Blk Swis
S
Pane: A2 734 x 1780 4/20/4 Clear Tough / Ecopane Tough Blk Swis
S

☐
☐

Additional Frame Details

Extender: Weather Bar White Foil 0mm Top
Extender: Weather Bar White Foil 0mm Top
Extras: 2 Weather Bar Labour
Extras: 2 Weather Bar End Cap Wht Sprayed [White Foil]

☐
☐
☐
☐


WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

BB

Frame No:9 Qty: 1

Location: Lounge



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

910 x 1310 ☐

Actual Frame Size:

910 x 1280 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 305 x 1106 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 305 x 1106 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2

WER Certificate: WER 'B' CERTIFICATE NO.D1577


☐

Frame Finish: White Foil

BD

Frame No:10 Qty: 1

Location: Lounge



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

870 x 1300 ☐

Actual Frame Size:

870 x 1270 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 285 x 1096 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 285 x 1096 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:11 Qty: 1

Location:Left of Kitchen



900 x 1150

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1150 ☐

Actual Frame Size:

900 x 1120 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 946 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 300 x 946 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:12 Qty: 1

Location:Window 12



1900 x 1350

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1900 x 1350 ☐

Actual Frame Size:

1900 x 1320 ☐

Group: SYS10 French T&T

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: Tilt Turn Reinf
Door Handles: TBT Locking Handle White
Tilt/Turn Handles: TBT Locking Handle White
Door Hinges:
Door Locks: French T&T Slave Lock
Tilt/Turn Locks: Dummy T&T Lock
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 790 x 1136 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 790 x 1136 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x TIPVENT 2700 (4000) White


WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:13 Qty: 1

Location:Left of Fireplace



620 x 1000

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

620 x 1000 ☐

Actual Frame Size:

620 x 970 ☐

Group: SYS10 Casement INT

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: WHS RULE
Casement Handles:Inline Handle Wht
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 446 x 796 4/20/4 Clear / Ecopane Blk Swiss

☐

Additional Frame Details

Night Vent: 1 x Night Vent 3200mm2


☐

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: White Foil

Frame No:14 Qty: 1

Location:Right of Fireplace



620 x 1000

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

620 x 1000 ☐

Actual Frame Size:

620 x 970 ☐

Group: SYS10 Casement INT

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: WHS RULE
Casement Handles:Inline Handle Wht
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 446 x 796 4/20/4 Clear / Ecopane Blk Swiss

☐

Additional Frame Details

Night Vent: 1 x Night Vent 3200mm2


☐

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: White Foil

Frame No:15 Qty: 1

Location:Right Kitchen



900 x 1150

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1150 ☐

Actual Frame Size:

900 x 1120 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Wht
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 946 4/20/4 Clear / Ecopane Blk Swiss
Pane: A2 300 x 946 4/20/4 Clear / Ecopane Blk Swiss

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2

☐

WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

If all details meet with your approval please,
date and return to Window Warehouse

Customer Signature

Date

On signing this confirmation or by confirming by return email you accept full responsibility, even if the order has been inputted by a Window Warehouse Representative. Sizes shown are manufacture sizes and you therefore authorise Window Warehouse to proceed to manufacture. We are committed to using your data collected or processed with regards to this order. Details can be found in our Privacy Policy which is located on our Website.