


Recommendation for Specialist bath and Associated Bathroom Adaptations



An Occupational Therapy functional assessment of need has been completed with the above-named person and I confirm that the recommendations below are necessary and appropriate to achieve the following purpose:

To provide a room in which there are the essential facilities of a specialist bath

and

To enable access to the room with this facility, with carer assistance.

Recommendation to be used in conjunction with measured plan that indicates size of shower area and position of amenities.

2. Bath

2.1 Install specialist height adjustable bath approx. dimensions 1960 mm x 745 mm with over bath shower.

2.2 Install over bath stretcher.

3. Wash Basin

3.1 Install **wall mounted** wash basin at standard height, to replace current basin

3.2 Install **short** lever taps to wash basin.

4. Toilet

4.1 Re-site existing toilet to new position if required

5. Access

5.1 Widen door opening to shower room to minimum clear opening width 840 mm

5.2 Install **sliding/hinged/bi-fold** doors to bathroom or Re-hang existing door to opposite jamb as required

6. Additional Features

6.1 Install ceiling track hoisting in bathroom and bedroom to provide full room coverage

6.2 Turning circle of 1700mm required in bathroom and bedroom

6.3 Re-site existing radiator/heater as required

6.4 Install extractor fan as required

6.5 Install moisture proof lighting as required

7. General

7.1 Lighting, heating, plugs and switches must comply with current legislation and regulations.

7.2 The equipment or adaptation should conform to current British standards.

7.3 The scheme must be designed to incorporate the above features and must take full account of the health and safety in all circumstances of the building user, in accordance with all relevant standard codes of practice.

7.4 Where applicable reference must be made to manufacturer's recommendations, gas, water and electricity authorities' regulations and recommendations both in use and in the event of temporary failure or other emergency situation.

8. Warranty/Maintenance and Servicing Arrangements

8.1 The Homeowner will be responsible for any ongoing servicing, maintenance and repairs once the manufacturer warranty expires.

These recommendations relate to the client's disability rather than a technical specification.

The design and layout of the above brief must be agreed with the occupational therapist before final arrangements are made for the manufacture or installation.

OT Name: Lauren Purser

OT Signature: L.Purser

Date: 07/10/2024