

WINDOW WAREHOUSE

QUOTE CONFIRMATION

Quote No: 24QW46455

Customer Ref: Dom

Main Address

Fletch & Sons Ltd
532 Southleigh Road
Emsworth
Hants
PO10 7TE

Delivery Address


Fletch & Sons Ltd
EMSWORTH

Customer Tel:

Contact Email:

Frame No:1 Qty: 1

Location: Landing



900 x 1030

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1030 ☐

Actual Frame Size:

900 x 1000 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Smky Chrm
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 826 4/20/4 Clear / Ecopane Blk Swiss (Colour Auth
Duplex Geo Grill)
Pane: A2 300 x 826 4/20/4 Clear / Ecopane Blk Swiss (Colour Auth
Duplex Geo Grill)

☐
☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2


WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐

Frame Finish: White Foil

Frame No:2 Qty: 1

Location: Back Bedroom



900 x 1180

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1180 ☐

Actual Frame Size:

900 x 1150 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Smky Chrm
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 300 x 976 4/20/4 Clear / Ecopane Blk Swiss (Colour Auth
Duplex Geo Grill)
Pane: A2 300 x 976 4/20/4 Clear / Ecopane Blk Swiss (Colour Auth
Duplex Geo Grill)

☐
☐


Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2

WER Certificate: WER 'B' CERTIFICATE NO.D1577


☐

Frame Finish: White Foil



Frame No:3 Qty: 1

Location: Bathroom



900 x 1020

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

900 x 1020 ☐

Actual Frame Size:

900 x 990 ☐

Group: SYS10 French Casement INT

Tick OK

Cill: Cill 150mm
Reinforcement: WHS RULE
Door Handles: Inline Handle Smky Chrm
Door Hinges: Fire Escape/Easy Clean Hinge
Door Locks: Kubu French FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐

Glazing


Pane: A1 300 x 816 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte (Colour Auth Duplex Geo Grill) ☐
Pane: A2 300 x 816 4/20/4 Obscure / Ecopane Blk Swiss Stippolyte (Colour Auth Duplex Geo Grill) ☐

Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2 ☐


WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil



Frame No:4 Qty: 1

Location: Study



880 x 2070

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

880 x 2070 ☐

Actual Frame Size:

865 x 2040 ☐

Group: SYS10 Open In Resi

Tick OK

Cill: Cill 180mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever Smokey Chrome
Door Hinges: Evolution Hinge White
Door Locks: Kubu Resi Door Lock
Cylinder: 50/45 NICKEL ORION 3-STAR D/CY
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 589 x 1780 4/20/4 Clear Tough / Ecopane Tough Blk Swis s (Wht Sgle Auth Duplex Geo Bar Each) ☐


Additional Frame Details

Extender: Frame Extension 15mm White Foil 2040mm Left ☐
Extender: Weather Bar White Foil 0mm Top ☐
WER Certificate: WER 'B' CERTIFICATE NO.D1036

Frame Finish: White Foil

Frame No:5 Qty: 1

Location: Study



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

880 x 2070 ☐

Actual Frame Size:

865 x 2040 ☐

Group: SYS10 Open In Resi

Tick OK

Cill: Cill 180mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever Smokey Chrome
Door Hinges: Evolution Hinge White
Door Locks: Kubu Resi Door Lock
Cylinder: 50/45 NICKEL ORION 3-STAR D/CY
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 589 x 1780 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour Sgle Auth Duplex Geo Bar Each)

☐

Additional Frame Details


Extender: Frame Extension 15mm White Foil 2040mm Left
Extender: Weather Bar White Foil 0mm Top
WER Certificate: WER 'B' CERTIFICATE NO.D1036

☐
☐

Frame Finish: White Foil

Frame No:6 Qty: 1

Location: Master Bed



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1930 x 1320 ☐

Actual Frame Size:

1930 x 1275 ☐

Group: SYS10 French T&T

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: Tilt Turn Reinf
Door Handles: TBT Locking Handle Smokey Chrm
Tilt/Turn Handles: TBT Locking Handle White
Door Hinges:
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 805 x 1091 4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle
Auth Duplex Geo Bar Each)
Pane: A2 805 x 1091 4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle
Auth Duplex Geo Bar Each)


☐☐

Additional Frame Details

Extender: Frame Extension 15mm White Foil 1930mm Top
Night Vent: 2 x Night Vent 3200mm2
WER Certificate: WER 'B' CERTIFICATE NO.D1577


☐
☐

Frame Finish: White Foil



Frame No:7 Qty: 1

Location:Master Bed



890 x 1030

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
890 x 1030 ☐

Actual Frame Size:
890 x 1000 ☐

Group: SYS10 French Casement INT Tick OK

Cill:	Cill 150mm	☐
Reinforcement:	WHS RULE	☐
Door Handles:	Inline Handle Smky Chrm	☐
Door Hinges:	Fire Escape/Easy Clean Hinge	☐
Door Locks:	Kubu French FMT 7.7mm Cam	☐
Drainage:	Concealed	☐
Bead:	Ovalo Bead White Foil 28mm	☐

Glazing

Pane: A1	295 x 826	4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle Auth Duplex Geo Bar Each)	☐
Pane: A2	295 x 826	4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle Auth Duplex Geo Bar Each)	☐


Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2 ☐
WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

Frame No:8 Qty: 1

Location: En-Suite



880 x 1030

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
880 x 1030 ☐

Actual Frame Size:
880 x 1000 ☐

Group: SYS10 French Casement INT Tick OK

Cill:	Cill 150mm	☐
Reinforcement:	WHS RULE	☐
Door Handles:	Inline Handle Smky Chrm	☐
Door Hinges:	Fire Escape/Easy Clean Hinge	☐
Door Locks:	Kubu French FMT 7.7mm Cam	☐
Drainage:	Concealed	☐
Bead:	Ovalo Bead White Foil 28mm	☐

Glazing

Pane: A1	290 x 826	4/20/4 Obscure / Ecopane Blk Swiss Stippolyte (Colour Sgle Auth Duplex Geo Bar Each)	☐
Pane: A2	290 x 826	4/20/4 Obscure / Ecopane Blk Swiss Stippolyte (Colour Sgle Auth Duplex Geo Bar Each)	☐


Additional Frame Details

Night Vent: 2 x Night Vent 2000mm2 ☐
WER Certificate: WER 'B' CERTIFICATE NO.D1577

Frame Finish: White Foil

Frame No:9 Qty: 1

Location:Lounge 1



615 x 1030

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

615 x 1030 ☐

Actual Frame Size:

615 x 1000 ☐

Group: SYS10 Casement INT

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: WHS RULE
Casement Handles:Inline Handle Smky Chrm
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 441 x 826 4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle
Auth Duplex Geo Bar Each) ☐

Additional Frame Details


Night Vent: 1 x Night Vent 3200mm2 ☐

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: White Foil

Frame No:10 Qty: 1

Location:Lounge 2



615 x 1030

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

615 x 1030 ☐

Actual Frame Size:

615 x 1000 ☐

Group: SYS10 Casement INT

Tick OK

Trans/Mull: SYS10 Transoms
Cill: Cill 150mm
Reinforcement: WHS RULE
Casement Handles:Inline Handle Smky Chrm
Casement Hinges: Fire Escape/Easy Clean Hinge
Casement Locks: Kubu FMT 7.7mm Cam
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 441 x 826 4/20/4 Clear / Ecopane Blk Swiss (Colour Sgle
Auth Duplex Geo Bar Each) ☐

Additional Frame Details


Night Vent: 1 x Night Vent 3200mm2 ☐

WER Certificate: WER 'A' CERTIFICATE NO.5540

Frame Finish: White Foil

Frame No:11 Qty: 1

Location:Window 11



1935 x 2050

Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1935 x 2050 ☐

Actual Frame Size:

1845 x 2020 ☐

Group: SYS10 Open Out French

Tick OK

Cill: Cill 180mm
Reinforcement: @15WHS RULE Door
Door Handles: Lever/Lever Smokey Chrome x2
Door Hinges: Evolution Hinge White
Door Locks: Kubu French Door Lock
Cylinder: 45/50 NICKEL ORION 3-STAR D/CY
Drainage: Concealed
Bead: Ovalo Bead White Foil 28mm
Low Threshold: SYS10 Small Outer Face B BF

☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 686 x 1760 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour Sgle Auth Duplex Geo Bar Each)
Pane: A2 687 x 1760 4/20/4 Clear Tough / Ecopane Tough Blk Swis
s (Colour Sgle Auth Duplex Geo Bar Each)

☐
☐

Additional Frame Details

Extender: Frame Extension 45mm White Foil 2020mm Left
Extender: Frame Extension 45mm White Foil 2020mm Right
Night Vent: 2 x Night Vent 3200mm2
WER Certificate: WER 'B' CERTIFICATE NO.D1577

☐
☐

Frame Finish: White Foil

If all details meet with your approval please,
date and return to Window Warehouse

Customer Signature

Date

On signing this confirmation or by confirming by return email you accept full responsibility, even if the order has been inputted by a Window Warehouse Representative. Sizes shown are manufacture sizes and you therefore authorise Window Warehouse to proceed to manufacture. We are committed to using your data collected or processed with regards to this order. Details can be found in our Privacy Policy which is located on our Website.