



Dominic Brightman
Wilson Bailey Geotechnical & Environmental Ltd
Carters Cottage
Sherrington
Wiltshire
BA12 0SN

DETS Ltd
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 19-14412

Site Reference: 40 Acres Farm

Project / Job Ref: None Supplied

Order No: None Supplied


Sample Receipt Date: 08/10/2019

Sample Scheduled Date: 08/10/2019

Report Issue Number: 1

Reporting Date: 29/10/2019

Authorised by:



Dave Ashworth
Technical Manager

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



DETS Ltd
Lane Industrial Estate
Rose Lane
Penham Heath
Maidstone
Kent ME17 2JN
Tel: 01622 850410



BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 1				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440194				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	13.0	5 - 35			
Silt Content ^(S)	%	N/a	43.0	0 - 65			
Sand Content ^(S)	%	N/a	44.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Sandy Silt Loam	-			
Loss on Ignition	%	< 0.01	2.60	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	13.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	6.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.6	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	0.4				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.07	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	14	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	110	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	63	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	33.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0	> 7.0	
Zinc ^{MU}	mg/kg	< 3	49	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	16	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	14	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	79				
Available Calcium ^(S)	mg/l	< 1	1800				
Electrical Conductivity	uS/cm	< 5	1186	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							



DETS Ltd
Lane Industrial Estate
Rose Lane
Penham Heath
Maidstone
Kent ME17 2JN
Tel: 01622 850410



BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 2				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440195				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	15.0	5 - 35			
Silt Content ^(S)	%	N/a	48.0	0 - 65			
Sand Content ^(S)	%	N/a	37.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Sandy Silt Loam				
Loss on Ignition	%	< 0.01	1.10	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	12.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	0.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.7	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	0.4				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.13	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	10	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	140	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	65	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	22.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0	> 7.0	
Zinc ^{MU}	mg/kg	< 3	49	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	23	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	16	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	41				
Available Calcium ^(S)	mg/l	< 1	1700				
Electrical Conductivity	uS/cm	< 5	1253	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							



DETS Ltd
Lane Industrial Estate
Rose Lane
Penham Heath
Maidstone
Kent ME17 2JN
Tel: 01622 850410



BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 3				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440196				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	15.0	5 - 35			
Silt Content ^(S)	%	N/a	47.0	0 - 65			
Sand Content ^(S)	%	N/a	38.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Sandy Silt Loam				
Loss on Ignition	%	< 0.01	2.60	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	13.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	7.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.6	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	0.4				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.09	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	11	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	170	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	82	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	24.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0	> 7.0	
Zinc ^{MU}	mg/kg	< 3	47	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	12	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	14	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	42				
Available Calcium ^(S)	mg/l	< 1	1500				
Electrical Conductivity	uS/cm	< 5	1248	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							



DETS Ltd
Lane Industrial Estate
Rose Lane
Penham Heath
Maidstone
Kent ME17 2JN
Tel: 01622 850410



BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 4				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440197				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	20.0	5 - 35			
Silt Content ^(S)	%	N/a	42.0	0 - 65			
Sand Content ^(S)	%	N/a	38.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Clay Loam	-			
Loss on Ignition	%	< 0.01	2.30	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	18.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	13.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.5	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	0.9				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.10	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	8	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	120	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	73	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	23.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0	> 7.0	
Zinc ^{MU}	mg/kg	< 3	46	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	13	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	15	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	36				
Available Calcium ^(S)	mg/l	< 1	1400				
Electrical Conductivity	uS/cm	< 5	1240	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							

BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 5				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440198				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	12.0	5 - 35			
Silt Content ^(S)	%	N/a	48.0	0 - 65			
Sand Content ^(S)	%	N/a	40.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Sandy Silt Loam	-			
Loss on Ignition	%	< 0.01	2.80	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	13.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	0.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.6	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	2.1				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.10	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	11	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	220	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	100	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	27.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0		> 7.0
Zinc ^{MU}	mg/kg	< 3	52	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	15	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	17	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	49				
Available Calcium ^(S)	mg/l	< 1	1700				
Electrical Conductivity	uS/cm	< 5	1411	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							

BS3882 Topsoil Suite							
DETS Report No: 19-14412		Date Sampled	None Supplied	Compliance with Range			
Wilson Bailey Geotechnical & Environmental Ltd		Time Sampled	None Supplied	Multipurpose	Acidic	Low Fertility	Calcareous
Site Reference: 40 Acres Farm		TP / BH No	Topsoil 6				
Project / Job Ref: None Supplied		Additional Refs	None Supplied				
Order No: None Supplied		Depth (m)	None Supplied				
Reporting Date: 29/10/2019		DETS Sample No	440199				
Determinand	Reporting Unit	RL					
Soil Texture							
Clay Content ^(S)	%	N/a	15.0	5 - 35			
Silt Content ^(S)	%	N/a	58.0	0 - 65			
Sand Content ^(S)	%	N/a	27.0	30 - 85			
Textural Class ^(S)	N/a	N/a	Sandy Silt Loam				
Loss on Ignition	%	< 0.01	2.10	Clay Content 5 - 20%			
				3 - 20	3 - 30	2 - 20	3 - 20
				Clay Content 20 - 35%			
				5 - 20	5 - 30	2 - 20	5 - 20
Coarse Fragment Content							
>2mm ^(S)	%	N/a	1.0	0 - 30	0 - 30	0 - 30	0 - 30
>20mm ^(S)	%	N/a	0.0	0 - 10	0 - 10	0 - 10	0 - 10
>50mm ^(S)	%	N/a	0.0	0	0	0	0
pH ^{MU}	pH Units	N/a	6.6	5.5 - 8.5	3.5 - 5.5	3.5 - 9.0	7.5 - 9.0
Carbonate	%	< 0.1	2.1				> 1
Available Plant Nutrients							
Total Nitrogen ^(S)	%	< 0.01	0.10	≥ 0.15	≥ 0.15		≥ 0.15
Phosphorus (Extractable) ^(S)	mg/l	< 3	14	16 - 140	16 - 140	≤ 15	16 - 140
Potassium (Extractable) ^(S)	mg/l	< 20	240	121 - 1500	121 - 1500		121 - 1500
Magnesium (Extractable) ^(S)	mg/l	< 1	110	51 - 600	51 - 600		51 - 600
Carbon / Nitrogen Ratio ^(S)	:1	< 0.1	23.0	< 20 : 1	< 20 : 1	< 20 : 1	< 20 : 1
Exchangeable Sodium ^(S)	%	< 0.1	< 0.1				
Phytotoxic Elements (by soil pH)				Multipurpose & Specific Purpose Topsoils at pH range			
				< 6.0	6.0 - 7.0	> 7.0	
Zinc ^{MU}	mg/kg	< 3	48	< 200	< 200	< 300	
Copper ^{MU}	mg/kg	< 4	13	< 100	< 135	< 200	
Nickel ^{MU}	mg/kg	< 3	14	< 60	< 75	< 110	
Visible Contaminants (Air Dried Soil)							
>2mm	%	N/a	0.0	< 0.5			
Plastics	%	N/a	0.00	< 0.25			
Sharps	%	N/a	0.0	0			
Additional Analytes							
Available Sodium ^(S)	mg/l	< 1	49				
Available Calcium ^(S)	mg/l	< 1	1800				
Electrical Conductivity	uS/cm	< 5	1190	3300			
OVERALL COMPLIANCY				N	N	N	N
Results are expressed on a dry weight basis, after correction for moisture content where applicable							
Stated limits are for guidance only and DETS Ltd cannot be held responsible for any discrepancies with current legislation							
M Denotes MCERTS accredited test							
U Denotes ISO17025 accredited test							
Subcontracted analysis ^(S)							



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 19-14412

Wilson Bailey Geotechnical & Environmental Ltd

Site Reference: 40 Acres Farm

Project / Job Ref: None Supplied

Order No: None Supplied

Reporting Date: 29/10/2019

DETS Sample No	TP / BH No	Additional Refs	Depth (m)	Moisture Content (%)	Sample Matrix Description
^ 440194	Topsoil 1	None Supplied	None Supplied	13	Brown sandy clay
^ 440195	Topsoil 2	None Supplied	None Supplied	13.7	Brown sandy clay
^ 440196	Topsoil 3	None Supplied	None Supplied	14.3	Brown sandy clay with stones
^ 440197	Topsoil 4	None Supplied	None Supplied	12.1	Brown sandy clay with stones
^ 440198	Topsoil 5	None Supplied	None Supplied	18.2	Brown sandy clay with vegetation
^ 440199	Topsoil 6	None Supplied	None Supplied	13	Brown sandy clay with vegetation

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{IS}

Unsuitable Sample ^{US}

^ no sampling date provided; unable to confirm if samples are within acceptable holding times



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 19-14412

Wilson Bailey Geotechnical & Environmental Ltd

Site Reference: 40 Acres Farm

Project / Job Ref: None Supplied

Order No: None Supplied

Reporting Date: 29/10/2019

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1.5 diphenvicarbazine followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450°C	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5- C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried
AR As Received