


Horizontal Illuminance (lux)

Grid 1 - Work Area 3 Zone 3




Results

Eav	51.99
Emin	33.64
Emax	83.97
Emin/Emax	0.40
Emin/Eav	0.65

Horizontal Illuminance (lux)

Grid 2 - Work Area 5 Zone 1




Results

Eav	23.50
Emin	6.78
Emax	45.87
Emin/Emax	0.15
Emin/Eav	0.29

Horizontal Illuminance (lux)

Grid 3 - Work Area 5 Zone 2




Results

Eav	25.28
Emin	10.47
Emax	66.32
Emin/Emax	0.16
Emin/Eav	0.41

Horizontal Illuminance (lux)

Grid 4 - Work Area 5 Zone 3




Results

Eav	50.23
Emin	23.16
Emax	77.67
Emin/Emax	0.30
Emin/Eav	0.46

Horizontal Illuminance (lux)

Grid 5 - Work Area 6 Zone 1




Results

Eav	23.28
Emin	9.07
Emax	52.27
Emin/Emax	0.17
Emin/Eav	0.39

Horizontal Illuminance (lux)

Grid 6 - Work Area 6 Zone 2




Results

Eav	28.22
Emin	11.20
Emax	52.72
Emin/Emax	0.21
Emin/Eav	0.40

Horizontal Illuminance (lux)

Grid 7 - Work Area 6 Zone 3




Results

Eav	50.30
Emin	34.04
Emax	72.51
Emin/Emax	0.47
Emin/Eav	0.68

Horizontal Illuminance (lux)

Grid 8 - Work Area 7 Zone 1




Results

Eav	31.25
Emin	12.34
Emax	60.40
Emin/Emax	0.20
Emin/Eav	0.39

Horizontal Illuminance (lux)

Grid 9 - Work Area 7 Zone 2




Results

Eav	43.01
Emin	19.43
Emax	76.56
Emin/Emax	0.25
Emin/Eav	0.45

Horizontal Illuminance (lux)

Grid 10 - Work Area Zone 3



Results

Eav	50.04
Emin	23.72
Emax	85.16
Emin/Emax	0.28
Emin/Eav	0.47