

Installation Type	Unit of Measure	Capacity/Flow rate (1)	Use Factor (2)	Fixed use (litres/person/day) (3)	Litres/person/day = [(1)x(2)] + (3) (4)
WC (single flush)	Flush Volume (litres)		4.42	0.00	0
WC (dual flush)	Full flush Volume (litres)	4	1.46	0.00	5.84
	Part flush Volume (litres)	2.6	2.96	0.00	7.70
WC (multiple fittings)	Average effective flushing Volume (litres)		4.42	0.00	0
Taps (excluding kitchen/utility room taps)	Flow rate (litres/min)	4.50	1.58	1.58	8.69
Bath (where shower also present)	Capacity to overflow(litres)	139.00	0.11	0.00	15.29
Shower (where bath also present)	Flow Rate(litres / minute)	9.50	4.37	0.00	41.52
Bath Only	Capacity to overflow(litres)		0.50	0.00	0
Shower Only	Flow Rate (litres/minute)		5.60	0.00	0
Kitchen/Utility room sink taps	Flow rate (litres/minute)	6.00	0.44	10.36	13.00
Washing Machine	(Litres/kg dry load)	8.17	2.1	0.00	17.157
Dishwasher	(Litres/place setting)	1.25	3.6	0.00	4.5
Waste disposal unit	(Litres/use)	☐ Present	3.08	0.00	0
Water Softener	(Litres/person/day)		1.00	0.00	0
	(5)	Total Calculated use (litres/person/day) = SUM(column 4)			113.70
	(6)	Contribution from greywater (litres/person/day)			0
	(7)	Contribution from rainwater (litres/person/day)			0
	(8)	Normalisation factor			0.91
	(9)	Total internal water consumption = [(5)-(6)-(7)]x(8) (litres/person/day)			103.46
	(10)	External water use			5.0
	(11)	Total water consumption (Building Regulation 17.K) =(9)+(10)(litres/person/day)			108.5

Installation Type	Make/Model (mandatory)	Litres/Person/Day
WC (dual flush)	Ideal Standard E2478 i.life A close coupled cistern 4/2.6 litre dual flush valve	13.54
Taps	Bristan Vantage Basin Mixer with Flow restrictor ref ECO BAS 4.5	8.69
Baths (shower(s) present)	Ideal Standard Tempo Cube 170x70 ref E2581 - Water saving bath	15.29
Showers (bath(s) present)	Bristan AR2 SHXMTFF C and Bristan EVC KIT01 C	40.20
Kitchen Taps	Bristan Cinnamon Sink Mixer Ref CNN EFSNK C TOwith Flow restrictor ref ECO BAS 6	13.00
Washing Machines		17.157
Dishwasher		4.5



©Water Research Centre Limited 2026

[Terms and Conditions](#)
[System Requirements](#)